Ultima Light and Ultima Light Tinted Ready Mix Joint Compounds by Panel Rey S.A.

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 09 29 00

PRODUCT DESCRIPTION: Joint compound, as defined by ASTM C474 and C475, is used along with joint tape to join sheets of drywall by creating a seamless finish. Joint compound is comprised of a blend of minerals. A ready-mixed compound is a pre-made form of joint compound that may be used for immediate application without any additional preparation. This HPD covers the Ready-mixed joint compound line from Panel Rey S.A. These products are manufactured in the Panel Rey facilities located in Mexicali, Mexico; Monterrey, Mexico; and Mexico City, Mexico. Ultima Light Compound is the best option for a smooth, manageable application and sliding. It is extremely easy to sand due to its properties of lowdensity ready mix. This is a totally different product since it is 20% lighter than traditional compounds. It offers a higher coverage and efficiently reduces shrinkage and cracks. Features an excellent adhesion to the substrate and its new green formula has a VOC content lower than 1 g/l. Technical specifications: type of load- Ilmestone, density of paste g/cm3- 1.3, viscosity @ 25° C (c/P1000)- 120, %adherence to Panel Rey's tape-≥90, cracking- no evidence of cracking, % of shrinkage-≥35, open time of work (minutes)- ≥20, drying time (minutes) 15 - 40, waste due to sanding/10 cycles (g)- 2.0, pH of paste 7 -8, recommended application-application of joint sealant tape, plastering/caulking and finishes.



Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

Nested Materials Method

C Basic Method

Threshold Disclosed Per

Material

Product

Threshold level

C 1,000 ppm Per GHS SDS

Per OSHA MSDS

C Other

Residuals/Impurities

Residuals/Impurities Considered in 13 of 13 Materials

Explanation(s) provided for Residuals/Impurities?

• Yes • No

All Substances Above the Threshold Indicated Are:

Characterized

C Yes Ex/SC O Yes C No

% weight and role provided for all substances.

Screened

○ Yes Ex/SC ○ Yes ○ No

All substances screened using Priority Hazard Lists with results disclosed.

Identified

O Yes Ex/SC O Yes O No.

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

CALCIUM SULFATE [CALCIUM SULFATE (DIHYDRATE) LT-UNK] CALCIUM CARBONATE [CALCIUM CARBONATE LT-UNK AMORPHOUS SILICA LT-P1 | CAN CARBONIC ACID, MAGNESIUM SALT (1:1) LT-UNK] WATER [WATER BM-4] UNDISCLOSED [UNDISCLOSED LT-P1 | CAN | PHY | END | MUL | MAM | GEN UNDISCLOSED BM-1 | CAN | PHY | EYE | END | GEN | REP UNDISCLOSED BM-4 | PERLITE [PERLITE ORE NoGS] ATTAPULGITE [PALYGORSKITE FIBERS (> 5MM IN LENGTH) LT-1 | CAN] MICA [MICA-GROUP MINERALS LT-UNK /RON LT-P1 | END LITHIUM SALT LT-1 | PBT | MUL | AQU | CAN | DEL | MAM | REP | END SODIUM FLUORIDE (NA(HF2)) LT-P1 | MAM | SKI TITANIUM LT-UNK] UNDISCLOSED [UNDISCLOSED LT-UNK] UNDISCLOSED [UNDISCLOSED LT-P1 | AQU |

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.1, and discloses hazards associated with all substances present at or above 100 parts per million (ppm) in the finished the product, along with the role and percent weight. Therefore, this HPD is consistent with the LEED v4 MR credit Building Product Disclosure and Optimization: Material Ingredient Reporting (Option 1).

SKI | EYE | END | MUL] UNDISCLOSED [UNDISCLOSED LT-UNK] CLAY [
CLAY LT-UNK | CAN MICA-GROUP MINERALS LT-UNK QUARTZ LT-1 | CAN
] UNDISCLOSED [UNDISCLOSED LT-1 | PHY | GEN | CAN | MUL | DEL]
UNDISCLOSED [UNDISCLOSED LT-UNK]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): Greenguard Regulatory (g/l): Not Applicable

Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Greengard Gold VOC content: VOC Content

Other: Type III Environmental Product Declaration

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

PREPARER: Self-Prepared

C Yes
No

VERIFIER: VERIFICATION #: SCREENING DATE: 2019-02-19 PUBLISHED DATE: 2019-02-19

EXPIRY DATE: 2022-02-19



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

CALCIUM SULFATE

%: 55.0000 - 70.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/,

OTHER MATERIAL NOTES:

CALCIUM SULFATE (DIHYDRATE)

ID: 10101-41-4

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREE | NING DATE: 2019-02 | -19 |
|--|------------------------|--------------|--------------------|--------------|
| %: 55.0000 - 70.0000 | GS: LT-UNK | RC: UNK | NANO: No | ROLE: Filler |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| | No hazards found | | | |

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/ ,

CALCIUM CARBONATE

%: 50.0000 - 70.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/,

CALCIUM CARBONATE ID: 1317-65-3

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREEN | HAZARD SCREENING DATE: 2019-02-19 | | |
|--|------------------------|---------------|-----------------------------------|--------------|--|
| %: 50.0000 - 70.0000 | GS: LT-UNK | RC: UNK | nano: No | ROLE: Filler | |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | | |
| | No hazards found | | | | |
| | | | | | |

 ${\tt SUBSTANCE\ NOTES:}\ \textbf{Residuals\ and\ impurities\ were\ screened\ using\ the\ toxnet\ database\ at:\ https://toxnet.nlm.nih.gov/\ ,}$

| AMORPHOUS SILICA | | ID: 7631-86-9 | | |
|--|------------------------|----------------------|-------------------|-------------------------|
| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCRE | 9-02-19 | |
| %: Impurity/Residual | gs: LT-P1 | RC: UNK | nano: No | ROLE: Impurity/Residual |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNI | NGS | |
| CANCER | Japan - GHS | Carci | nogenicity - Cate | egory 1A |
| CANCER | Australia - GHS | H350 | i - May cause ca | ncer by inhalation |
| | | | | |

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/,

CARBONIC ACID, MAGNESIUM SALT (1:1)

ID: **546-93-0**

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREI | HAZARD SCREENING DATE: 2019-02-19 | | |
|--|------------------------|--------------|-----------------------------------|-------------------------|--|
| %: Impurity/Residual | GS: LT-UNK | RC: UNK | nano: No | ROLE: Impurity/Residual | |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNIN | GS | | |
| | No hazards found | | | | |

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/,

WATER %: 25.0000 - 40.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/,

WATER ID: 7732-18-5

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREEN | HAZARD SCREENING DATE: 2019-02-19 | | |
|--|------------------------|---------------|-----------------------------------|---------------|--|
| %: 25.0000 - 40.0000 | GS: BM-4 | RC: UNK | nano: No | ROLE: Diluent | |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | | |
| | No hazards found | | | | |

UNDISCLOSED

%: 0.5000 - 10.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

 $\label{localized} \textit{Residuals and impurities were screened using the toxnet database at:} \\ \textit{https://toxnet.nlm.nih.gov/},$

 ${\tt SUBSTANCE\ NOTES:}\ \textbf{Residuals\ and\ impurities\ were\ screened\ using\ the\ toxnet\ database\ at:\ https://toxnet.nlm.nih.gov/\ ,}$

OTHER MATERIAL NOTES:

UNDISCLOSED

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREENII | NG DATE: 2019-02- | 19 |
|--|--|---|---|--|
| %: 0.5000 - 10.0000 | gs: LT-P1 | RC: UNK | nano: No | ROLE: Binder |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| CANCER | IARC | Group 2B - Pos | sibly carcinogenic | to humans |
| PHYSICAL HAZARD (REACTIVE) | EU - GHS (H-Statements) | H225 - Highly flammable liquid and vapour | | |
| CANCER | EU - GHS (H-Statements) | H351 - Suspected of causing cancer | | |
| ENDOCRINE | TEDX - Potential Endocrine Disruptors | Potential Endo | crine Disruptor | |
| MULTIPLE | German FEA - Substances Hazardous to Waters | Class 2 - Hazar | d to Waters | |
| CANCER | MAK | • | oup 3A - Evidence nt to establish MA | of carcinogenic effects <pre></pre> <pre></pre> |
| MAMMALIAN | US EPA - EPCRA Extremely Hazardous Substances | Extremely Haza | ardous Substances | |
| GENE MUTATION | New Zealand - GHS | 6.6A - Known o | r presumed humar | n mutagens |

 ${\tt SUBSTANCE\ NOTES:}\ \textbf{Residuals\ and\ impurities\ were\ screened\ using\ the\ toxnet\ database\ at:\ https://toxnet.nlm.nih.gov/\ ,}$

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-02-19

| %: Impurity/Residual | GS: BM-1 | RC: UNK NANO: No ROLE: Impurity/Residual |
|----------------------------|---------------------------------------|--|
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
| CANCER | US EPA - IRIS Carcinogens | (1986) Group B2 - Probable human Carcinogen |
| CANCER | IARC | Group 1 - Agent is Carcinogenic to humans |
| CANCER | IARC | Group 2B - Possibly carcinogenic to humans |
| CANCER | CA EPA - Prop 65 | Carcinogen |
| CANCER | US CDC - Occupational Carcinogens | Occupational Carcinogen |
| CANCER | US NIH - Report on Carcinogens | Reasonably Anticipated to be Human Carcinogen |
| PHYSICAL HAZARD (REACTIVE) | EU - GHS (H-Statements) | H224 - Extremely flammable liquid and vapour |
| EYE IRRITATION | EU - GHS (H-Statements) | H319 - Causes serious eye irritation |
| CANCER | EU - GHS (H-Statements) | H351 - Suspected of causing cancer |
| ENDOCRINE | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor |
| CANCER | MAK | Carcinogen Group 5 - Genotoxic carcinogen with very slight risk under MAK/BAT levels |
| GENE MUTATION | New Zealand - GHS | 6.6A - Known or presumed human mutagens |
| CANCER | Japan - GHS | Carcinogenicity - Category 1B |
| REPRODUCTIVE | Japan - GHS | Toxic to reproduction - Category 1B |

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/ ,

UNDISCLOSED

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2019-02-19 | | |
|--|------------------------|-----------------------------------|---------------------------------|--|
| GS: BM-4 | RC: UNK | nano: No | ROLE: Impurity/Residual | |
| AGENCY AND LIST TITLES | WARNII | NGS | | |
| No hazards found | | | | |
| | AGENCY AND LIST TITLES | AGENCY AND LIST TITLES WARNII | AGENCY AND LIST TITLES WARNINGS | |

 ${\tt SUBSTANCE\ NOTES:}\ \textbf{Residuals\ and\ impurities\ were\ screened\ using\ the\ toxnet\ database\ at:\ https://toxnet.nlm.nih.gov/\ ,}$

PERLITE %: 0.1000 - 10.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/,

PERLITE ORE 10: 130885-09-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-02-19

%: 0.1000 - 10.0000 GS: NoGS RC: UNK NANO: NO ROLE: Lighten Weight

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

No hazards found

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/,

ATTAPULGITE

%: 0.1000 - 7.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/,

OTHER MATERIAL NOTES:

PALYGORSKITE FIBERS (> 5MM IN LENGTH)

ID: 12174-11-7

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2019-02-19 |
|--|------------------------|--|
| %: 0.1000 - 7.0000 | GS: LT-1 | RC: UNK NANO: No ROLE: Thickner |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
| CANCER | IARC | Group 2B - Possibly carcinogenic to humans |
| CANCER | CA EPA - Prop 65 | Carcinogen |
| CANCER | MAK | Carcinogen Group 2 - Considered to be carcinogenic for man |
| | | |

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/,

MICA %: 0.1000 - 5.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/,

OTHER MATERIAL NOTES:

MICA-GROUP MINERALS ID: 12001-26-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZAR

HAZARD SCREENING DATE: 2019-02-19

| %: 0.1000 - 5.0000 | GS: LT-UNK | RC: UNK | nano: No | ROLE: Anti-Cracking |
|---------------------------|------------------------|----------|-----------------|---------------------|
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| | No hazards found | | | |

 ${\tt SUBSTANCE\ NOTES:}\ \textbf{Residuals\ and\ impurities\ were\ screened\ using\ the\ toxnet\ database\ at:\ https://toxnet.nlm.nih.gov/\ ,}$

 ${\tt SUBSTANCE\ NOTES:}\ \textbf{Residuals\ and\ impurities\ were\ screened\ using\ the\ toxnet\ database\ at:\ https://toxnet.nlm.nih.gov/\ ,}$

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

%: Impurity/Residual

GS: LT-P1

RC: UNK

NANO: No

ROLE: Impurity/Residual

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

MEXARD SCREENING DATE: 2019-02-19

MEC: UNK NANO: No ROLE: Impurity/Residual

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-----------------|---|--|
| РВТ | UNEP Stockholm Conv - Persistent Organic Pollutants | Priority POP |
| PBT | WA DoE - PBT | PBT |
| PBT | OSPAR - Priority PBTs & EDs & equivalent concern | PBT - Chemical for Priority Action |
| RESTRICTED LIST | US EPA - PPT Chemical Action Plans | EPA Chemical of Concern - Action Plan published |
| CHRON AQUATIC | EU - GHS (H-Statements) | H411 - Toxic to aquatic life with long lasting effects |
| CANCER | EU - GHS (H-Statements) | H351 - Suspected of causing cancer |
| DEVELOPMENTAL | EU - GHS (H-Statements) | H360D - May damage the unborn child |
| DEVELOPMENTAL | EU - GHS (H-Statements) | H362 - May cause harm to breast-fed children |
| ORGAN TOXICANT | EU - GHS (H-Statements) | H372 - Causes damage to organs through prolonged or repeated exposure |
| REPRODUCTIVE | EU - REACH Annex XVII CMRs | Toxic to Reproduction Category 2 - Substances which should be regarded as if they impair fertility or cause Developmental Toxicity in humans |
| MULTIPLE | ChemSec - SIN List | CMR - Carcinogen, Mutagen &/or Reproductive Toxicant |
| ENDOCRINE | ChemSec - SIN List | Endocrine Disruption |
| REPRODUCTIVE | US EPA - PPT Chemical Action Plans | Reproductive effects |
| DEVELOPMENTAL | US EPA - PPT Chemical Action Plans | Developmental Effects |
| CANCER | MAK | Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification |
| DEVELOPMENTAL | MAK | Pregnancy Risk Group B |
| REPRODUCTIVE | EU - Annex VI CMRs | Reproductive Toxicity - Category 1B |
| DEVELOPMENTAL | Australia - GHS | H360D - May damage the unborn child |
| DEVELOPMENTAL | Australia - GHS | H362 - May cause harm to breast-fed children |
| | | |

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/,

| SODIUM FLUORIDE (NA(HF2)) | 3-83-1 |
|---------------------------|--------|
|---------------------------|--------|

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2019-02-19 | | |
|--|-------------------------|-----------------------------------|--------------------|---------------------------|
| %: Impurity/Residual | gs: LT-P1 | RC: UNK | NANO: No | ROLE: Impurity/Residual |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNIN | IGS | |
| MAMMALIAN | EU - GHS (H-Statements) | H301 | - Toxic if swallow | wed |
| SKIN IRRITATION | EU - GHS (H-Statements) | H314 | - Causes severe | skin burns and eye damage |

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/,

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

**SERVING METHOD: Pharos Chemical and Materials Library

**HAZARD SCREENING DATE: 2019-02-19

**RC: UNK NANO: No ROLE: Impurity/Residual

**HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

NO hazards found

 ${\tt SUBSTANCE\ NOTES:}\ \textbf{Residuals\ and\ impurities\ were\ screened\ using\ the\ toxnet\ database\ at:\ https://toxnet.nlm.nih.gov/\ ,}$

UNDISCLOSED

%: 0.1000 - 3.5000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/,

OTHER MATERIAL NOTES:

UNDISCLOSED

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREEN | HAZARD SCREENING DATE: 2019-02-19 | | | |
|--|------------------------|---------------|-----------------------------------|--------------|--|--|
| %: 0.1000 - 3.5000 | GS: LT-UNK | RC: UNK | NANO: No | ROLE: Binder | | |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | | | |
| | No hazards found | | | | | |
| | | | | | | |

 ${\tt SUBSTANCE\ NOTES:}\ \textbf{Residuals\ and\ impurities\ were\ screened\ using\ the\ toxnet\ database\ at:\ https://toxnet.nlm.nih.gov/\ ,}$

UNDISCLOSED

%: 0.0500 - 10.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/,

UNDISCLOSED

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2019-02-19 | | |
|--|---|-----------------------------------|-----------------------|---------------------------|
| %: 0.0500 - 10.0000 | gs: LT-P1 | RC: UNK | nano: No | ROLE: Biocide |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| ACUTE AQUATIC | EU - GHS (H-Statements) | H400 - Very | toxic to aquatic life | |
| SKIN IRRITATION | EU - GHS (H-Statements) | H315 - Caus | es skin irritation | |
| EYE IRRITATION | EU - GHS (H-Statements) | H318 - Caus | es serious eye dam | age |
| ENDOCRINE | TEDX - Potential Endocrine Disruptors | Potential End | docrine Disruptor | |
| MULTIPLE | German FEA - Substances Hazardous to Waters | Class 2 - Haz | zard to Waters | |
| SKIN SENSITIZE | MAK | Sensitizing S | Substance Sh - Dan | ger of skin sensitization |
| | | | | |

 ${\tt SUBSTANCE\ NOTES:}\ \textbf{Residuals\ and\ impurities\ were\ screened\ using\ the\ toxnet\ database\ at:\ https://toxnet.nlm.nih.gov/\ ,}$

UNDISCLOSED

%: 0.0500 - 1.5000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

 $\label{localized} \textit{Residuals and impurities were screened using the toxnet database at:} \\ \textit{https://toxnet.nlm.nih.gov/},$

OTHER MATERIAL NOTES:

UNDISCLOSED

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREE | HAZARD SCREENING DATE: 2019-02-19 | | |
|--|------------------------|--------------|-----------------------------------|----------------|--|
| %: 0.0500 - 1.5000 | GS: LT-UNK | RC: UNK | nano: No | ROLE: Thickner | |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | | |
| | No hazards found | | | | |

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/,

CLAY

%: 0.0000 - 5.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

| residuals and impurities notes: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/, | | | | | |
|---|--|--|--|--|--|
| OTHER MATERIAL NOTES: | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

CLAY 1D: 1332-58-7

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREET | HAZARD SCREENING DATE: 2019-02-19 | | | |
|--|------------------------|---------------|-----------------------------------|------------------------|--|--|
| %: 0.0000 - 5.0000 | GS: LT-UNK | RC: UNK | nano: No | ROLE: Filler | | |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | | | |
| CANCER | MAK | _ | up 3B - Evidence o | f carcinogenic effects | | |

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/,

MICA-GROUP MINERALS ID: 12001-26-2

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREE | HAZARD SCREENING DATE: 2019-02-19 | | |
|--|------------------------|--------------|-----------------------------------|-------------------------|--|
| %: Impurity/Residual | GS: LT-UNK | RC: UNK | nano: No | ROLE: Impurity/Residual | |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNIN | GS | | |
| | No hazards found | | | | |

 ${\tt SUBSTANCE\ NOTES:}\ \textbf{Residuals\ and\ impurities\ were\ screened\ using\ the\ toxnet\ database\ at:\ https://toxnet.nlm.nih.gov/\ ,}$

QUARTZ ID: 1317-95-9

| HAZARD SCREENING METHOD: Pha | aros Chemical and Materials Library | HAZARD SCREENING DATE: 2019-02-19 |
|------------------------------|-------------------------------------|---|
| %: Impurity/Residual | GS: LT-1 | RC: UNK NANO: No ROLE: Impurity/Residual |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
| CANCER | US CDC - Occupational Carcinogens | Occupational Carcinogen |
| CANCER | CA EPA - Prop 65 | Carcinogen - specific to chemical form or exposure route |
| CANCER | IARC | Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources |
| CANCER | US NIH - Report on Carcinogens | Known to be Human Carcinogen (respirable size - occupational setting) |
| CANCER | MAK | Carcinogen Group 1 - Substances that cause cancer in man |
| CANCER | Japan - GHS | Carcinogenicity - Category 1A |
| CANCER | Australia - GHS | H350i - May cause cancer by inhalation |
| | | |

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/ ,

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/,

OTHER MATERIAL NOTES:

UNDISCLOSED

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2019-02-19 | | |
|--|----------------------------|--|--|--|
| %: 0.0000 - 0.5000 | GS: LT-1 | RC: UNK NANO: No ROLE: Defoamer | | |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| PHYSICAL HAZARD (REACTIVE) | EU - GHS (H-Statements) | H220 - Extremely flammable gas | | |
| GENE MUTATION | EU - GHS (H-Statements) | H340 - May cause genetic defects | | |
| CANCER | EU - GHS (H-Statements) | H350 - May cause cancer | | |
| CANCER | EU - REACH Annex XVII CMRs | Carcinogen Category 1 - Substances known to be Carcinogenic to man | | |
| CANCER | EU - REACH Annex XVII CMRs | Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man | | |
| GENE MUTATION | EU - REACH Annex XVII CMRs | Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man | | |
| MULTIPLE | ChemSec - SIN List | CMR - Carcinogen, Mutagen &/or Reproductive Toxica | | |
| CANCER | EU - Annex VI CMRs | Carcinogen Category 1A - Known human Carcinogen based on human evidence | | |
| GENE MUTATION | EU - Annex VI CMRs | Mutagen - Category 1B | | |
| GENE MUTATION | Australia - GHS | H340 - May cause genetic defects | | |
| CANCER | Australia - GHS | H350 - May cause cancer | | |
| DEVELOPMENTAL | Australia - GHS | H360Df - May damage the unborn child. Suspected of damaging fertility | | |

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/,

UNDISCLOSED

%: 0.0000 - 0.1500

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/,

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library METHOD:

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/,



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

| VOC EMISSIONS | Greengard Gold | | | |
|---|----------------------------|-----------------------------|-----------------------------|--|
| CERTIFYING PARTY: UL APPLICABLE FACILITIES: Mexico City, Mexicali, and Monterrey CERTIFICATE URL: | ISSUE DATE: 2014- 11-25 | EXPIRY DATE: 2019- 02-25 | CERTIFIER OR LAB: UL | |
| CERTIFICATION AND COMPLIANCE NOTES: Certificate # | ±: 58576-420 | | | |

VOC CONTENT VOC Content

| CERTIFYING PARTY: Self-declared | ISSUE DATE: 2019- | EXPIRY DATE: | CERTIFIER OR LAB: Panel Rey |
|---|-------------------|--------------|-----------------------------|
| APPLICABLE FACILITIES: All facilities are included. | 02-19 | | S.A. |
| CERTIFICATE URL: | | | |

CERTIFICATION AND COMPLIANCE NOTES: Product has Greenguard Certification for VOCs. SCAQMD does not apply.

| OTHER | Type III Environmental Product Declaration | | | | |
|---|--|-----------------------------|----------------------------------|--|--|
| CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All Panel Rey facilities | ISSUE DATE: 2017- 11-08 | EXPIRY DATE: 2022- 11-08 | CERTIFIER OR LAB: UL Environment | | |
| CERTIFICATE URL: | | | | | |

CERTIFICATION AND COMPLIANCE NOTES: This is a sector EPD for Drywall Finishing Joint Compound. It was performed on behalf of the Drywall finishing council and Panel Rey S.A. is a participating member. The content of the declaration included: Product definition and information about building physics, information about basic material and the material's origin, description of the product's manufacturing, , indication of product processing, information about the in-use conditions, life cycle assessment results, and testing results and verifications. This declaration refers to the functional unit as prescribed by the PCR. The functional unit is defined as "100 m2 of covered substrate considering an installation scenario as defined by a GA-214 Level 4 finish with the quantity adjusted for the measured shrinkage (testing per ASTM C474) for a service life of 75 years."



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/,

MANUFACTURER INFORMATION

MANUFACTURER: Panel Rev S.A. ADDRESS: Serafin Peña 938 Sur

Nuevo Leon Monterrey 64000, Mexico

WEBSITE: www.panelrey.com

CONTACT NAME: Karla Daniela Macias Lujan

TITLE: Product Technology Specialist

PHONE: (81) 8305 3800

EMAIL: kmacias@gpromax.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

END Endocrine activity

CAN Cancer MAM Mammalian/systemic/organ toxicity **DEV** Developmental toxicity

MUL Multiple hazards **RES** Respiratory sensitization **NEU** Neurotoxicity SKI Skin sensitization/irritation/corrosivity

EYE Eye irritation/corrosivity **OZO** Ozone depletion **LAN** Land Toxicity

GLO Global warming

PBT Persistent Bioaccumulative Toxic NF Not found on Priority Hazard Lists

GreenScreen (GS)

GEN Gene mutation

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)

PHY Physical Hazard (reactive)

REP Reproductive toxicity

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.