Mediana Texture Powder Joint Compound by Panel Rey S.A.

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 09 29 00

PRODUCT DESCRIPTION: Joint compound, as defined by ASTM C474 and C475, is used along with joint tape to join sheets of drywall by creating a seamless finish. Joint compound is comprised of a blend of minerals. These products are manufactured in the Panel Rey facilities located in Mexicali, Mexico; Monterrey, Mexico; and Mexico City, Mexico. Panel Rey's Mediana is a powder product that contains aggregates that provide consistency and an aesthetical design when applied. It has been designed to be applied on various indoors surfaces adequately prepared. Different patterns of application may be created, and due to its whitening element content, it may be used as a final coating. It is not recommended as a final coating on areas of traffic. Panel Rey's Mediana is a powder product that contains aggregates that provide consistency and an aesthetical design when applied. It has been designed to be applied on various indoors surfaces adequately prepared. Different patterns of acount content, it may be used as a final coating on areas of traffic. Panel Rey's Mediana is a powder product that contains aggregates that provide consistency and an aesthetical design when applied. It has been designed to be applied on various indoors surfaces adequately prepared. Different patterns of application may be created, and due to its whitening element content, it may be used as a final coating. Mediana Ceiling Texture by Panel Rey® may be applied in interior ceilings painted or previously coated with sealant. It may also be used in panel structures, monolithic concrete or gypsum. Standard application equipment/tools may be used as long as instructions of the manufacturer are followed. Keep the work area with a good circulation of air but do avoid gusts of wind during application. Approximate yield: 1.5 - 1.7 m2/kg.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- C Basic Method
- **Threshold Disclosed Per**
- C Material
- Product

Threshold level 100 ppm 1,000 ppm Per GHS SDS Per OSHA MSDS Other

Residuals/Impurities

Residuals/Impurities Considered in 9 of 9 Materials

Explanation(s) provided for Residuals/Impurities?

All Substances Above the Threshold Indicated Are:

Characterized C Yes Ex/SC • Yes C No % weight and role provided for all substances.

Screened O Yes Ex/SC O Yes O No

All substances screened using Priority Hazard Lists with results disclosed.

Identified

○ Yes Ex/SC ○ Yes ○ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals[®]. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

CALCIUM SULFATE [CALCIUM SULFATE (DIHYDRATE) LT-UNK] UNDISCLOSED [UNDISCLOSED LT-UNK] ATTAPULGITE [PALYGORSKITE FIBERS (> 5MM IN LENGTH) LT-1 | CAN] UNDISCLOSED [UNDISCLOSED LT-UNK] UNDISCLOSED [UNDISCLOSED LT-P1 | CAN | PHY | END | MUL | MAM | GEN *UNDISCLOSED* BM-1 | CAN | PHY | EYE | END | GEN | REP *UNDISCLOSED* BM-4] CLAY [CLAY LT-UNK | CAN *MICA-GROUP MINERALS* LT-UNK *QUARTZ* LT-1 | CAN] UNDISCLOSED [UNDISCLOSED LT-UNK] UNDISCLOSED [UNDISCLOSED LT-1 | PHY | GEN | CAN | MUL | DEL] UNDISCLOSED [UNDISCLOSED LT-1 | CAN UNDISCLOSED LT-P1 | END]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): Not TestedRegulatory (g/l): Not ApplicableDoes the product contain exempt VOCs: No

Mediana Texture Powder Joint Compound hpdrepository.hpd-collaborative.org

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.1, and discloses hazards associated with all substances present at or above 100 parts per million (ppm) in the finished the product, along with the role and percent weight. Therefore, this HPD is consistent with the LEED v4 MR credit Building Product Disclosure and Optimization: Material Ingredient Reporting (Option 1).

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: VOC Emissions VOC content: VOC Content

Other: Type III Environmental Product Declaration

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

C Yes No PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2019-02-21 PUBLISHED DATE: 2019-02-21 EXPIRY DATE: 2022-02-21 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

	CIUM		
GAL	UUV.	JULI	

%: 90.0000 - 97.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

OTHER MATERIAL NOTES:

CALCIUM SULFATE (DIHYD	RATE)			ID: 10101-41-4	ŧ
HAZARD SCREENING METHOD: Pha	ros Chemical and Materials Library	HAZARD SCREEN	ING DATE: 2019-02-	-21	
%: 90.0000 - 97.0000	GS: LT-UNK	RC: UNK	NANO: NO	ROLE: Filler	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
	No hazards found				

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

UNDISCLOSED

%: 0.5000 - 10.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

UNDISCLOSED				
HAZARD SCREENING METHOD: PI	haros Chemical and Materials Library	HAZARD SCREEN	ING DATE: 2019-02	-21
%: 0.5000 - 10.0000	GS: LT-UNK	RC: UNK	NANO: No	ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			
SUBSTANCE NOTES: Residual	s and impurities were screened using the tox	net database at: https://	/toxnet.nlm.nih.go	ov/.

ATTAPULGITE

%: 0.1000 - 10.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

OTHER MATERIAL NOTES:

PALYGORSKITE FIBERS (>	5MM IN LENGTH)			ID: 12174-11
HAZARD SCREENING METHOD: Pha	ros Chemical and Materials Library	HAZARD SCREE	NING DATE: 2019-0	2-21
%: 0.1000 - 10.0000	GS: LT-1	RC: UNK	NANO: NO	ROLE: Thickener
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	IARC	Group 2B	- Possibly carcinog	genic to humans
CANCER	CA EPA - Prop 65	Carcinoge	n	
CANCER	МАК	Carcinoge man	n Group 2 - Consid	dered to be carcinogenic for

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

UNDISCLOSED

%: 0.1000 - 3.5000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

UNDISCLOSED				
HAZARD SCREENING METHOD: Pha	aros Chemical and Materials Library	HAZARD SCREE	NING DATE: 2019-0)2-21
%: 0.1000 - 3.5000	GS: LT-UNK	RC: UNK	NANO: NO	ROLE: Thickener
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			
SUBSTANCE NOTES: Residuals	and impurities were screened using the toxi	net database at: http	s://toxnet.nlm.ni	h.gov/.

UNDISCLOSED

%: 0.0500 - 5.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

OTHER MATERIAL NOTES:

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos	Chemical and Materials Library	HAZARD SCREEP	NING DATE: 2019-02	-21
%: 0.0500 - 5.0000	GS: LT-P1	RC: UNK	NANO: NO	ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	IARC	Group 2B - Po	ssibly carcinogenic	to humans
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H225 - Highly	flammable liquid ar	nd vapour
CANCER	EU - GHS (H-Statements)	H351 - Suspec	cted of causing can	cer
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endo	ocrine Disruptor	
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Haza	ard to Waters	
CANCER	МАК	•	roup 3A - Evidence ent to establish MA	of carcinogenic effects K/BAT value
MAMMALIAN	US EPA - EPCRA Extremely Hazardous Substances	Extremely Haz	ardous Substances	3
GENE MUTATION	New Zealand - GHS	6.6A - Known	or presumed huma	n mutagens

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

%: Impurity/Residual	GS: BM-1	RC: UNK NANO: NO ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US EPA - IRIS Carcinogens	(1986) Group B2 - Probable human Carcinogen
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	IARC	Group 2B - Possibly carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H224 - Extremely flammable liquid and vapour
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	МАК	Carcinogen Group 5 - Genotoxic carcinogen with very slight risk under MAK/BAT levels
GENE MUTATION	New Zealand - GHS	6.6A - Known or presumed human mutagens
CANCER	Japan - GHS	Carcinogenicity - Category 1B
REPRODUCTIVE	Japan - GHS	Toxic to reproduction - Category 1B

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos C	chemical and Materials Library	HAZARD SCREE	NING DATE: 2019	0-02-21
%: Impurity/Residual	GS: BM-4	RC: UNK	NANO: NO	ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	GS	
	No hazards found			

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

CLAY

%: 0.0000 - 10.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

HAZARD SCREENING METHOD: Pha	ros Chemical and Materials Library	HAZARD SCREEN	IING DATE: 2019-02-	-21
%: 0.0000 - 10.0000	GS: LT-UNK	RC: UNK	NANO: NO	ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	МАК	•	up 3B - Evidence of t for classification	carcinogenic effects

MICA-GROUP MINERALS ID: 12001-26-2 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-02-21 %: Impurity/Residual GS: LT-UNK RC: UNK NANO: No HAZARD TYPE AGENCY AND LIST TITLES WARNINGS No hazards found Interval Interval

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

QUARTZ		ID: 1317-95
HAZARD SCREENING METHOD: Pha	ros Chemical and Materials Library	HAZARD SCREENING DATE: 2019-02-21
6: Impurity/Residual	GS: LT-1	RC: UNK NANO: NO ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CANCER	МАК	Carcinogen Group 1 - Substances that cause cancer in man
CANCER	Japan - GHS	Carcinogenicity - Category 1A
CANCER	Australia - GHS	H350i - May cause cancer by inhalation

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

CLAY

PRODUCT THRESHOLD:	100	ppm
--------------------	-----	-----

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

HAZARD SCREENING METHOD: Pha	aros Chemical and Materials Library	HAZARD SO	CREENING DATE: 201	9-02-21
%: 0.0000 - 10.0000	GS: LT-UNK	RC: UNK	NANO: NO	ROLE: Fille
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			
SUBSTANCE NOTES: Residuals	and impurities were screened using the t	oxnet database at: http	os://toxnet.nlm.ni	n.gov/.
NDISCLOSED	%: 0.00	00 - 1.0000		
RODUCT THRESHOLD: 100 ppr	n RESIDUAL	AND IMPURITIES CONSIE	DERED: Yes	
tps://toxnet.nlm.nih.gov	s: Residuals and impurities were so	reened using the to	oxnet database	at:
ttps://toxnet.nlm.nih.gov THER MATERIAL NOTES: UNDISCLOSED			DXNET database	
ttps://toxnet.nlm.nih.gov THER MATERIAL NOTES: UNDISCLOSED HAZARD SCREENING METHOD: Pha	/.			
ttps://toxnet.nlm.nih.gov THER MATERIAL NOTES: UNDISCLOSED HAZARD SCREENING METHOD: Pha	/. aros Chemical and Materials Library	HAZARD SCREEN	VING DATE: 2019-02	-21
tps://toxnet.nlm.nih.gov THER MATERIAL NOTES: UNDISCLOSED HAZARD SCREENING METHOD: Pha	/. aros Chemical and Materials Library	HAZARD SCREEN	VING DATE: 2019-02	-21
ttps://toxnet.nlm.nih.gov THER MATERIAL NOTES: UNDISCLOSED HAZARD SCREENING METHOD: Pha	/. aros Chemical and Materials Library	HAZARD SCREEN	VING DATE: 2019-02	-21
ttps://toxnet.nlm.nih.gov THER MATERIAL NOTES: UNDISCLOSED HAZARD SCREENING METHOD: Pha	/. aros Chemical and Materials Library	HAZARD SCREEN	VING DATE: 2019-02	-21
ttps://toxnet.nlm.nih.gov THER MATERIAL NOTES: UNDISCLOSED HAZARD SCREENING METHOD: Pha	/. aros Chemical and Materials Library	HAZARD SCREEN	VING DATE: 2019-02	-21
ttps://toxnet.nlm.nih.gov THER MATERIAL NOTES: UNDISCLOSED HAZARD SCREENING METHOD: Pha	/. aros Chemical and Materials Library	HAZARD SCREEN	VING DATE: 2019-02	-21
ttps://toxnet.nlm.nih.gov	/. aros Chemical and Materials Library	HAZARD SCREEN	VING DATE: 2019-02	-21
ttps://toxnet.nlm.nih.gov THER MATERIAL NOTES: UNDISCLOSED HAZARD SCREENING METHOD: Pha	/. aros Chemical and Materials Library	HAZARD SCREEN	VING DATE: 2019-02	-21

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H220 - Extremely flammable gas
GENE MUTATION	EU - GHS (H-Statements)	H340 - May cause genetic defects
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 1 - Substances known to be Carcinogenic to man
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
GENE MUTATION	EU - REACH Annex XVII CMRs	Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CANCER	EU - Annex VI CMRs	Carcinogen Category 1A - Known human Carcinogen based on human evidence
GENE MUTATION	EU - Annex VI CMRs	Mutagen - Category 1B
GENE MUTATION	Australia - GHS	H340 - May cause genetic defects
CANCER	Australia - GHS	H350 - May cause cancer
DEVELOPMENTAL	Australia - GHS	H360Df - May damage the unborn child. Suspected of damaging fertility

UNDISCLOSED

%: 0.0000 - 0.3500

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2019-02-21		
%: 0.0000 - 0.3500	GS: LT-1	RC: UNK	RC: UNK NANO: No ROLE: Pigment		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
CANCER	US CDC - Occupational Carcinogens	Occupation	al Carcinogen		
CANCER	CA EPA - Prop 65	Carcinogen	Carcinogen - specific to chemical form or exposure route		
CANCER	IARC	•	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources		
CANCER	МАК	•	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value		

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

UNDISCLOSED

%: 0.0000 - 0.0010 GS: LT-P1 RC: UNK NANO: NO ROLE: Impurit	HAZARD SCREENING DATE: 2019-02-21			
HAZARD TYPE AGENCY AND LIST TITLES WARNINGS				
ENDOCRINE TEDX - Potential Endocrine Disruptors Potential Endocrine Disruptor				

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	VOC Emissions		
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: VOC emissions is not facility specific.	ISSUE DATE: 2019- 02-21	EXPIRY DATE:	CERTIFIER OR LAB: Panel Rey S.A.
CERTIFICATE URL:			

CERTIFICATION AND COMPLIANCE NOTES: No testing has been performed on this product for VOC emissions.

VOC CONTENT	VOC Content		
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: VOC content is not facility specific. CERTIFICATE URL:	ISSUE DATE: 2019- 02-14	EXPIRY DATE:	CERTIFIER OR LAB: Panel Rey S.A.

CERTIFICATION AND COMPLIANCE NOTES: No content calculations have been performed on this product.

OTHER	Type III Environmental Product Declaration			
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All Panel Rey facilities	ISSUE DATE: 2017- 11-08	EXPIRY DATE: 2022- 11-08	CERTIFIER OR LAB: UL Environment	
CERTIFICATE URL:				

CERTIFICATION AND COMPLIANCE NOTES: This is a sector EPD for Drywall Finishing Joint Compound. It was performed on behalf of the Drywall finishing council and Panel Rey S.A. is a participating member. The content of the declaration included: Product definition and information about building physics, information about basic material and the material's origin, description of the product's manufacturing, , indication of product processing, information about the in-use conditions, life cycle assessment results, and testing results and verifications. This declaration refers to the functional unit as prescribed by the PCR. The functional unit is defined as "100 m2 of covered substrate considering an installation scenario as defined by a GA-214 Level 4 finish with the quantity adjusted for the measured shrinkage (testing per ASTM C474) for a service life of 75 years."

🕒 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

MANUFACTURER INFORMATION

MANUFACTURER: Panel Rey S.A. Address: Serafin Peña 938 Sur Nuevo Leon Monterrey 64000, Mexico WEBSITE: www.panelrey.com CONTACT NAME: Karla Daniela Macias Lujan TITLE: Product Technology Specialist PHONE: 01(81) 83053800 EMAIL: kmacias@gpromax.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (insuficient data to benchmark)

Recycled Types

PreC Preconsumer (Post-Industrial) PostC Postconsumer Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.

GLO Global warming MAM Mammalian/systemic/organ toxicity MUL Multiple hazards NEU Neurotoxicity OZO Ozone depletion PBT Persistent Bioaccumulative Toxic PHY Physical Hazard (reactive) REP Reproductive toxicity RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity LAN Land Toxicity NF Not found on Priority Hazard Lists

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1 LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)

Spray Texture Powder Joint Compound by Panel Rev S.A.

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 09 29 00

PRODUCT DESCRIPTION: Joint compound, as defined by ASTM C474 and C475, is used along with joint tape to join sheets of drywall by creating a seamless finish. Joint compound is comprised of a blend of minerals. These products are manufactured in the Panel Rey facilities located in Mexicali, Mexico; Monterrey, Mexico; and Mexico City, Mexico. Panel Rey® Spray Texture is a powder compound designed for application over most properly prepared interior surfaces. It is used to create a wide range of texture patterns using roller, brush, hoper-type gun or plastering spray pump machines. Due to its additives and specialized formula, Panel Rey's midweight texture compound offers the following benefits: midweight texture through a light aggregate, whitening additive for a clearer and brighter surface, and easy mixing and application.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

- **Inventory Reporting Format**
- Nested Materials Method
- C Basic Method
- **Threshold Disclosed Per**
- C Material Product

٦	Three	shol	d lev

C 1,000 ppm C Per GHS SDS

C Other

C Per OSHA MSDS

vel • 100 ppm

Residuals/Impurities Considered in 9 of 9 Materials

Residuals/Impurities

Explanation(s) provided for Residuals/Impurities? • Yes O No

All Substances Above the Threshold Indicated Are:

Characterized	○ Yes Ex/SC
% weight and role pro	ovided for all substances.

○ Yes Ex/SC ⊙ Yes ○ No Screened All substances screened using Priority Hazard Lists with results disclosed.

Identified ○ Yes Ex/SC ○ Yes ○ No One or more substances not disclosed by Name (Specific or

Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY **GREENSCREEN SCORE** | HAZARD TYPE

CALCIUM SULFATE [CALCIUM SULFATE (DIHYDRATE) LT-UNK] UNDISCLOSED [UNDISCLOSED LT-UNK] ATTAPULGITE [PALYGORSKITE FIBERS (> 5MM IN LENGTH) LT-1 | CAN] UNDISCLOSED [UNDISCLOSED LT-UNK] UNDISCLOSED [UNDISCLOSED LT-P1 | CAN | PHY | END | MUL | MAM | GEN UNDISCLOSED BM-1 | CAN | PHY | EYE | END GEN | REP UNDISCLOSED BM-4] CLAY [CLAY LT-UNK | CAN MICA-GROUP MINERALS LT-UNK QUARTZ LT-1 | CAN] UNDISCLOSED [UNDISCLOSED LT-UNK | UNDISCLOSED | UNDISCLOSED LT-1 | PHY | GEN | CAN | MUL | DEL] UNDISCLOSED [TITANIUM DIOXIDE LT-1 | CAN UNDISCLOSED LT-P1 | END]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): No Testing Regulatory (g/l): Not Applicable Does the product contain exempt VOCs: No Are ultra-low VOC tints available: No

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1 Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.1, and discloses hazards associated with all substances present at or above 100 parts per million (ppm) in the finished the product, along with the role and percent weight. Therefore, this HPD is consistent with the LEED v4 MR credit Building Product Disclosure and Optimization: Material Ingredient Reporting (Option 1).

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: VOC Emissions VOC content: VOC Content Other: Type III Environmental Product Declaration

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

PREPARER: Self-Prepared

SCREENING DATE: 2019-02-21

Spray Texture Powder Joint Compound hpdrepository.hpd-collaborative.org

HPD v2.1.1 created via HPDC Builder Page 1 of 12

C Yes No VERIFIER: VERIFICATION #: PUBLISHED DATE: 2019-02-21 EXPIRY DATE: 2022-02-21 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

	CIUM		
GAL	UUV.	JULI	

%: 90.0000 - 97.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

OTHER MATERIAL NOTES:

CALCIUM SULFATE (DIHYDF	RATE)			ID: 10101-41-4
HAZARD SCREENING METHOD: Phar	os Chemical and Materials Library	HAZARD SCREEN	ING DATE: 2019-02-	-21
%: 90.0000 - 97.0000	GS: LT-UNK	RC: UNK	NANO: NO	ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

UNDISCLOSED

%: 0.5000 - 10.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

UNDISCLOSED					
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-02-21					
%: 0.5000 - 10.0000	GS: LT-UNK	RC: UNK	NANO: NO	ROLE: Binder	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
	No hazards found				
SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.					

ATTAPULGITE

%: 0.1000 - 10.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

OTHER MATERIAL NOTES:

PALYGORSKITE FIBERS (> 5MM IN LENGTH)				ID: 12174-11
HAZARD SCREENING METHOD: Pha	HAZARD SCREE	HAZARD SCREENING DATE: 2019-02-21		
%: 0.1000 - 10.0000	GS: LT-1	RC: UNK	NANO: NO	ROLE: Thickener
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	IARC	Group 2B	- Possibly carcinog	genic to humans
CANCER	CA EPA - Prop 65	Carcinoge	n	
CANCER	МАК	Carcinoge man	n Group 2 - Consid	dered to be carcinogenic for

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

UNDISCLOSED

%: 0.1000 - 3.5000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

UNDISCLOSED					
HAZARD SCREENING METHOD: Pha	aros Chemical and Materials Library	HAZARD SCREE	HAZARD SCREENING DATE: 2019-02-21		
%: 0.1000 - 3.5000	GS: LT-UNK	RC: UNK	NANO: NO	ROLE: Thickener	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
	No hazards found				
SUBSTANCE NOTES: Residuals	and impurities were screened using the tox	net database at: http	s://toxnet.nlm.ni	n.gov/.	

UNDISCLOSED

%: 0.0500 - 5.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

OTHER MATERIAL NOTES:

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-02-21		
%: 0.0500 - 5.0000	GS: LT-P1	RC: UNK NANO: NO ROLE: Binder		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	IARC	Group 2B - Possibly carcinogenic to humans		
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour		
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
CANCER	МАК	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value		
MAMMALIAN	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances		
GENE MUTATION	New Zealand - GHS	6.6A - Known or presumed human mutagens		

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

%: Impurity/Residual	GS: BM-1	RC: UNK NANO: NO ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US EPA - IRIS Carcinogens	(1986) Group B2 - Probable human Carcinogen
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	IARC	Group 2B - Possibly carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H224 - Extremely flammable liquid and vapour
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	МАК	Carcinogen Group 5 - Genotoxic carcinogen with very slight risk under MAK/BAT levels
GENE MUTATION	New Zealand - GHS	6.6A - Known or presumed human mutagens
CANCER	Japan - GHS	Carcinogenicity - Category 1B
REPRODUCTIVE	Japan - GHS	Toxic to reproduction - Category 1B

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-02-21		
%: Impurity/Residual	GS: BM-4	RC: UNK	NANO: NO	ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	GS	
	No hazards found			

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

CLAY

%: 0.0000 - 10.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-02-21		
%: 0.0000 - 10.0000	GS: LT-UNK	RC: UNK	NANO: NO	ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER MAK		•	up 3B - Evidence of t for classification	carcinogenic effects

MICA-GROUP MINERALS ID: 12001-26-2 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-02-21 %: Impurity/Residual GS: LT-UNK RC: UNK NANO: No HAZARD TYPE AGENCY AND LIST TITLES WARNINGS No hazards found Interval Interval Interval

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

QUARTZ		id: 1317-9		
HAZARD SCREENING METHOD: Pha	ros Chemical and Materials Library	HAZARD SCREENING DATE: 2019-02-21		
6: Impurity/Residual	GS: LT-1	RC: UNK NANO: NO ROLE: Impurity/Residual		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route		
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled fro		
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)		
CANCER	МАК	Carcinogen Group 1 - Substances that cause cancer in man		
CANCER	Japan - GHS	Carcinogenicity - Category 1A		
CANCER	Australia - GHS	H350i - May cause cancer by inhalation		

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

CLAY

PRODUCT THRESHOLD:	100	ppm
--------------------	-----	-----

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

HAZARD SCREENING METHOD: Ph	aros Chemical and Materials Library	HAZARD SCF	REENING DATE: 2019	-02-21	
%: 0.0000 - 10.0000 GS: LT-UNK		RC: UNK	NANO: NO	ROLE: Filler	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
	No hazards found				
SUBSTANCE NOTES: Residuals	and impurities were screened using the	toxnet database at: https	s://toxnet.nlm.nih.	gov/.	
NDISCLOSED	%: 0.00	00 - 1.0000			
oduct threshold: 100 pp	n residual	S AND IMPURITIES CONSIDE	RED: Yes		
	s: Residuals and impurities were so	creened using the to	xnet database a	at:	
SIDUALS AND IMPURITIES NOTE	-	creened using the to	xnet database a	at:	
	-	creened using the to	xnet database a	at:	
tps://toxnet.nlm.nih.gov	-	creened using the to	xnet database a	at:	
tps://toxnet.nlm.nih.gov HER MATERIAL NOTES: UNDISCLOSED	-		xnet database a		
tps://toxnet.nlm.nih.gov HER MATERIAL NOTES: UNDISCLOSED	/.				
tps://toxnet.nlm.nih.gov HER MATERIAL NOTES: UNDISCLOSED HAZARD SCREENING METHOD: Ph	r/. aros Chemical and Materials Library	HAZARD SCREENI	NG DATE: 2019-02-2	21	
tps://toxnet.nlm.nih.gov HER MATERIAL NOTES: UNDISCLOSED HAZARD SCREENING METHOD: Ph	r/. aros Chemical and Materials Library	HAZARD SCREENI	NG DATE: 2019-02-2	21	
tps://toxnet.nlm.nih.gov HER MATERIAL NOTES: UNDISCLOSED HAZARD SCREENING METHOD: Ph	r/. aros Chemical and Materials Library	HAZARD SCREENI	NG DATE: 2019-02-2	21	
tps://toxnet.nlm.nih.gov HER MATERIAL NOTES: UNDISCLOSED HAZARD SCREENING METHOD: Ph	r/. aros Chemical and Materials Library	HAZARD SCREENI	NG DATE: 2019-02-2	21	
tps://toxnet.nlm.nih.gov HER MATERIAL NOTES: UNDISCLOSED HAZARD SCREENING METHOD: Ph	r/. aros Chemical and Materials Library	HAZARD SCREENI	NG DATE: 2019-02-2	21	
tps://toxnet.nlm.nih.gov HER MATERIAL NOTES: UNDISCLOSED HAZARD SCREENING METHOD: Ph	r/. aros Chemical and Materials Library	HAZARD SCREENI	NG DATE: 2019-02-2	21	
tps://toxnet.nlm.nih.gov HER MATERIAL NOTES: UNDISCLOSED HAZARD SCREENING METHOD: Ph	r/. aros Chemical and Materials Library	HAZARD SCREENI	NG DATE: 2019-02-2	21	
tps://toxnet.nlm.nih.gov HER MATERIAL NOTES: UNDISCLOSED HAZARD SCREENING METHOD: Ph	r/. aros Chemical and Materials Library	HAZARD SCREENI	NG DATE: 2019-02-2	21	
tps://toxnet.nlm.nih.gov HER MATERIAL NOTES: UNDISCLOSED HAZARD SCREENING METHOD: Ph	r/. aros Chemical and Materials Library	HAZARD SCREENI	NG DATE: 2019-02-2	21	
tps://toxnet.nlm.nih.gov HER MATERIAL NOTES: UNDISCLOSED HAZARD SCREENING METHOD: Ph	r/. aros Chemical and Materials Library	HAZARD SCREENI	NG DATE: 2019-02-2	21	
tps://toxnet.nlm.nih.gov HER MATERIAL NOTES: UNDISCLOSED HAZARD SCREENING METHOD: Ph	r/. aros Chemical and Materials Library	HAZARD SCREENI	NG DATE: 2019-02-2	21	

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H220 - Extremely flammable gas
GENE MUTATION	EU - GHS (H-Statements)	H340 - May cause genetic defects
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 1 - Substances known to be Carcinogenic to man
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
GENE MUTATION	EU - REACH Annex XVII CMRs	Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CANCER	EU - Annex VI CMRs	Carcinogen Category 1A - Known human Carcinogen based on human evidence
GENE MUTATION	EU - Annex VI CMRs	Mutagen - Category 1B
GENE MUTATION	Australia - GHS	H340 - May cause genetic defects
CANCER	Australia - GHS	H350 - May cause cancer
DEVELOPMENTAL	Australia - GHS	H360Df - May damage the unborn child. Suspected of damaging fertility

UNDISCLOSED

%: 0.0000 - 0.3500

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

TITANIUM DIOXIDE HAZARD SCREENING DATE: 2019-02-21 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library %: 0.0000 - 0.3500 GS: LT-1 RC: UNK ROLE: Pigment NANO: **NO** HAZARD TYPE AGENCY AND LIST TITLES WARNINGS CANCER US CDC - Occupational Carcinogens **Occupational Carcinogen** CANCER CA EPA - Prop 65 Carcinogen - specific to chemical form or exposure route CANCER IARC Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources MAK CANCER Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value SUBSTANCE NOTES: UNDISCLOSED HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-02-21 titu/Dooiduol N .

ENDOCRINE	TEDX - Potential Endocrine Disruptors	Poter	ntial Endocrine D	isruptor	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNI	NGS		
%: Impurity/Residual	GS: LI-P1	RC: UNK	NANO: NO	ROLE: Impurity/Residual	

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	VOC Emissions		
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: VOC Emissions is not facility specific.	ISSUE DATE: 2019- 02-21	EXPIRY DATE:	CERTIFIER OR LAB: Panel Rey S.A.
CERTIFICATE URL:			

CERTIFICATION AND COMPLIANCE NOTES: No VOC emission testing has been performed on this product.

VOC CONTENT	VOC Content		
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: VOC content is not a facility- specific certification.	ISSUE DATE: 2019- 02-21	EXPIRY DATE:	CERTIFIER OR LAB: Panel Rey S.A.
CERTIFICATE URL:			

CERTIFICATION AND COMPLIANCE NOTES: SCAQMD 1113 does not apply to this product. No g/L testing has been performed on this product for VOC content.

OTHER	Type III Environmental Product Declaration			
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All Panel Rey facilities	ISSUE DATE: 2017- 11-08	EXPIRY DATE: 2022- 11-08	CERTIFIER OR LAB: UL Environment	
CERTIFICATE URL:				

CERTIFICATION AND COMPLIANCE NOTES: This is a sector EPD for Drywall Finishing Joint Compound. It was performed on behalf of the Drywall finishing council and Panel Rey S.A. is a participating member. The content of the declaration included: Product definition and information about building physics, information about basic material and the material's origin, description of the product's manufacturing, , indication of product processing, information about the in-use conditions, life cycle assessment results, and testing results and verifications. This declaration refers to the functional unit as prescribed by the PCR. The functional unit is defined as "100 m2 of covered substrate considering an installation scenario as defined by a GA-214 Level 4 finish with the quantity adjusted for the measured shrinkage (testing per ASTM C474) for a service life of 75 years."

🛨 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

Spray Texture Powder Joint Compound hpdrepository.hpd-collaborative.org

MANUFACTURER INFORMATION

MANUFACTURER: Panel Rey S.A. Address: Serafin Peña 938 Sur Nuevo Leon Monterrey 64000, Mexico WEBSITE: www.panelrey.com CONTACT NAME: Karla Daniela Macias Lujan TITLE: Product Technology Specialist PHONE: 01(81) 83053800 EMAIL: kmacias@gpromax.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (insuficient data to benchmark)

Recycled Types

PreC Preconsumer (Post-Industrial) PostC Postconsumer Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.

GLO Global warming MAM Mammalian/systemic/organ toxicity MUL Multiple hazards NEU Neurotoxicity OZO Ozone depletion PBT Persistent Bioaccumulative Toxic PHY Physical Hazard (reactive) REP Reproductive toxicity RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity LAN Land Toxicity NF Not found on Priority Hazard Lists

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1 LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)

Textura Spray Ready Mix Joint Compound by Panel Rev S.A.

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 09 29 00

PRODUCT DESCRIPTION: Joint compound, as defined by ASTM C474 and C475, is used along with joint tape to join sheets of drywall by creating a seamless finish. Joint compound is comprised of a blend of minerals. Ready-mixed compound is a pre-made form of joint compound that may be used for immediate application without any additional preparation. This HPD covers the Ready-mixed joint compound line from Panel Rey S.A. These products are manufactured in the Panel Rey facilities located in Mexicali, Mexico; Monterrey, Mexico; and Mexico City, Mexico. Panel Rey® Spray Texture is a compound designed for application over most properly prepared interior surfaces. It is used to create a wide range of texture patterns using roller, brush, hoper-type gun or plastering spray pump machines. Ready-mix technical: color- off white, drying time (80°F / 50% RH): 60 – 90 min, coverage: 15 – 30 ft2/lb depending on texture pattern, storagestore in covered and dry place, warranty: 6 months, and packaging: 3.75 gal / 14.1 L .

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- C Basic Method

Threshold Disclosed Per

- C Material
- Product

• 100 ppm C 1,000 ppm C Per GHS SDS

Threshold level

C Per OSHA MSDS C Other

Residuals/Impurities

Residuals/Impurities Considered in 13 of 13 Materials

Explanation(s) provided for Residuals/Impurities? • Yes O No

All Substances Above the Threshold Indicated Are-

Characterized ○ Yes Ex/SC ○ Yes ○ No % weight and role provided for all substances.

○ Yes Ex/SC ⊙ Yes ○ No Screened

All substances screened using Priority Hazard Lists with results disclosed.

Identified

○ Yes Ex/SC ○ Yes ⊙ No One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

CALCIUM SULFATE [CALCIUM SULFATE (DIHYDRATE) LT-UNK] CALCIUM CARBONATE [CALCIUM CARBONATE LT-UNK AMORPHOUS SILICA LT-P1 | CAN CARBONIC ACID, MAGNESIUM SALT (1:1) LT-UNK] WATER [WATER BM-4] UNDISCLOSED [UNDISCLOSED LT-P1 | CAN | PHY | END | MUL | MAM | GEN UNDISCLOSED BM-1 | CAN | PHY | EYE | END GEN | REP UNDISCLOSED BM-4] PERLITE [PERLITE ORE NoGS] ATTAPULGITE [PALYGORSKITE FIBERS (> 5MM IN LENGTH) LT-1 | CAN] MICA [MICA-GROUP MINERALS LT-UNK /RON LT-P1 | END LITHIUM SALT LT-1 | PBT | MUL | AQU | CAN | DEL | MAM | REP | END SODIUM FLUORIDE (NA(HF2)) LT-P1 | MAM | SKI TITANIUM LT-UNK] UNDISCLOSED [UNDISCLOSED LT-UNK] UNDISCLOSED [UNDISCLOSED LT-P1 | AQU | SKI | EYE | END | MUL] UNDISCLOSED [UNDISCLOSED LT-UNK] CLAY [CLAY LT-UNK | CAN MICA-GROUP MINERALS LT-UNK QUARTZ LT-1 | CAN] UNDISCLOSED [UNDISCLOSED LT-1 | PHY | GEN | CAN | MUL | DEL] UNDISCLOSED [C.I. ACID YELLOW 3 LT-UNK]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): Greenguard Regulatory (g/l): Not Applicable Does the product contain exempt VOCs: No

Textura Spray Ready Mix Joint Compound hpdrepository.hpd-collaborative.org

Number of Greenscreen BM-4/BM3 contents ... 2

did not follow quidance.

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.1, and discloses hazards associated with all substances present at or above 100 parts per million (ppm) in the finished the product, along with the role and percent weight. Therefore, this HPD is consistent with the LEED v4 MR credit Building Product Disclosure and Optimization: Material Ingredient Reporting (Option 1).

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Greenguard Gold VOC content: VOC COntent

Other: Type III Environmental Product Declaration

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

C Yes • No PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2019-02-19 PUBLISHED DATE: 2019-02-19 EXPIRY DATE: 2022-02-19 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

	CIUM		
GAL	UUV.	JULI	

%: 55.0000 - 70.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

OTHER MATERIAL NOTES:

CALCIUM SULFATE (DIHYD	RATE)			ID: 10101-4 1	-4
HAZARD SCREENING METHOD: Pha	AZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-02-19				
%: 55.0000 - 70.0000	GS: LT-UNK	RC: UNK	NANO: NO	ROLE: Filler	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
	No hazards found				

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

CALCIUM CARBONATE

%: 50.0000 - 70.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

CALCIUM CARBONATE				ID: 1317-65-3
HAZARD SCREENING METHOD: Pha	aros Chemical and Materials Library	HAZARD SCREEN	ING DATE: 2019-02-	19
%: 50.0000 - 70.0000	GS: LT-UNK	RC: UNK	NANO: NO	ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			
SUBSTANCE NOTES: Residuals	and impurities were screened using the to	xnet database at: https://t	toxnet.nlm.nih.gov	<i>ı</i> /.
AMORPHOUS SILICA				ID: 7631-86-9
HAZARD SCREENING METHOD: Pha	aros Chemical and Materials Library	HAZARD SCREENING DATE:	2019-02-19	

%: Impurity/Residual	GS: LT-P1	RC: UNK NANO: NO ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	Japan - GHS	Carcinogenicity - Category 1A
CANCER	Australia - GHS	H350i - May cause cancer by inhalation

CARBONIC ACID, MAGNESIUM SALT (1:1)					
HAZARD SCREENING METHOD: Phare	os Chemical and Materials Library	HAZARD SCRE	HAZARD SCREENING DATE: 2019-02-19		
%: Impurity/Residual	GS: LT-UNK	RC: UNK	NANO: NO	ROLE: Impurity/Residual	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	GS		
	No hazards found				

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

WATER

%: 25.0000 - 40.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-02-19		
%: 25.0000 - 40.0000	GS: BM-4	RC: UNK	NANO: NO	ROLE: Diluent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			
SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.				

UNDISCLOSED

WATER

%: 0.5000 - 10.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

OTHER MATERIAL NOTES:

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-02-19		
%: 0.5000 - 10.0000	GS: LT-P1	RC: UNK NANO: No ROLE: Binder		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	IARC	Group 2B - Possibly carcinogenic to humans		
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour		
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
CANCER	МАК	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value		
MAMMALIAN	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances		
GENE MUTATION	New Zealand - GHS	6.6A - Known or presumed human mutagens		

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-02-19

%: Impurity/Residual	GS: BM-1	RC: UNK NANO: NO ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US EPA - IRIS Carcinogens	(1986) Group B2 - Probable human Carcinogen
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	IARC	Group 2B - Possibly carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H224 - Extremely flammable liquid and vapour
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	МАК	Carcinogen Group 5 - Genotoxic carcinogen with very slight risk under MAK/BAT levels
GENE MUTATION	New Zealand - GHS	6.6A - Known or presumed human mutagens
CANCER	Japan - GHS	Carcinogenicity - Category 1B
REPRODUCTIVE	Japan - GHS	Toxic to reproduction - Category 1B

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos C	hemical and Materials Library	HAZARD SCREE	NING DATE: 2019	9-02-19
%: Impurity/Residual	GS: BM-4	RC: UNK	NANO: NO	ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	IGS	
	No hazards found			

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

PERLITE

%: 0.1000 - 10.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

PERLITE ORE				ID: 13088
HAZARD SCREENING METHOD: P	naros Chemical and Materials Library	HAZARD SCREE	NING DATE: 2019	9-02-19
%: 0.1000 - 10.0000	GS: NoGS	RC: UNK	NANO: NO	ROLE: Lighten Weight
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	5	

No hazards found

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

ATTAPULGITE

%: 0.1000 - 7.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

OTHER MATERIAL NOTES:

HAZARD SCREENING METHOD: Ph	aros Chemical and Materials Library	HAZARD SCREE	NING DATE: 2019-02	2-19
%: 0.1000 - 7.0000	GS: LT-1	RC: UNK	NANO: NO	ROLE: Thickner
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	IARC	Group 2B -	Possibly carcinoge	nic to humans
CANCER	CA EPA - Prop 65	Carcinogen		
CANCER	МАК	Carcinogen man	Group 2 - Conside	red to be carcinogenic for

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

MICA

%: 0.1000 - 5.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

OTHER MATERIAL NOTES:

MICA-GROUP MINERALS

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-02-19

ID: 12001-26-2

Textura Spray Ready Mix Joint Compound hpdrepository.hpd-collaborative.org

%: 0.1000 - 5.0000	GS: LT-UNK	RC: UNK	NANO: NO	ROLE: Anti-Cracking
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	GS	
	No hazards found			
SUBSTANCE NOTES: Residuals	and impurities were screened using the toxn	et database at	: https://toxnet	t.nlm.nih.gov/.
IRON				ıd: 7439-89-6
HAZARD SCREENING METHOD: Pha	aros Chemical and Materials Library	HAZARD SCREE	NING DATE: 2019)-02-19
%: Impurity/Residual	GS: LT-P1	RC: UNK	NANO: NO	ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	GS	
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Poten	tial Endocrine D	isruptor
SUBSTANCE NOTES: Residuals	and impurities were screened using the toxn	et database at	: https://toxnet	t.nlm.nih.gov/.

LITHIUM SALT				ID: 29457-72-5
HAZARD SCREENING METHOD: Pharos (Chemical and Materials Library	HAZARD SCRE	ENING DATE: 201	9-02-19
%: Impurity/Residual	GS: LT-1	RC: UNK	NANO: NO	ROLE: Impurity/Residual

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
РВТ	UNEP Stockholm Conv - Persistent Organic Pollutants	Priority POP
РВТ	WA DoE - PBT	РВТ
РВТ	OSPAR - Priority PBTs & EDs & equivalent concern	PBT - Chemical for Priority Action
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published
CHRON AQUATIC	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
DEVELOPMENTAL	EU - GHS (H-Statements)	H360D - May damage the unborn child
DEVELOPMENTAL	EU - GHS (H-Statements)	H362 - May cause harm to breast-fed children
ORGAN TOXICANT	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure
REPRODUCTIVE	EU - REACH Annex XVII CMRs	Toxic to Reproduction Category 2 - Substances which should be regarded as if they impair fertility or cause Developmental Toxicity in humans
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
ENDOCRINE	ChemSec - SIN List	Endocrine Disruption
REPRODUCTIVE	US EPA - PPT Chemical Action Plans	Reproductive effects
DEVELOPMENTAL	US EPA - PPT Chemical Action Plans	Developmental Effects
CANCER	МАК	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
DEVELOPMENTAL	МАК	Pregnancy Risk Group B
REPRODUCTIVE	EU - Annex VI CMRs	Reproductive Toxicity - Category 1B
DEVELOPMENTAL	Australia - GHS	H360D - May damage the unborn child
DEVELOPMENTAL	Australia - GHS	H362 - May cause harm to breast-fed children

hemical and Materials Library	HAZARD SCREENING DATE: 2019-02-19			
GS: LT-P1	RC: UNK	NANO: NO	ROLE: Impurity/Residual	
AGENCY AND LIST TITLES	WARNIN	VGS		
EU - GHS (H-Statements)	H301	- Toxic if swallow	wed	
EU - GHS (H-Statements)	H314	- Causes severe	skin burns and eye damage	
	AGENCY AND LIST TITLES	GS: LT-P1 RC: UNK AGENCY AND LIST TITLES WARNIN EU - GHS (H-Statements) H301	GS: LT-P1 RC: UNK NANO: No AGENCY AND LIST TITLES WARNINGS EU - GHS (H-Statements) H301 - Toxic if swallow	

SUBSTANCE NOTES: Residuals a	and impurities were screened using th	e toxnet database at:	https://toxnet	.nlm.nih.go	v/.
TITANIUM					ID: 7440-32-6
HAZARD SCREENING METHOD: Pha	ros Chemical and Materials Library	HAZARD SCREE	NING DATE: 2019	9-02-19	
%: Impurity/Residual	GS: LT-UNK	RC: UNK	NANO: NO	ROLE: Im	purity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	S		
	No hazards found				
SUBSTANCE NOTES: Residuals a	and impurities were screened using th	e toxnet database at:	https://toxnet	.nlm.nih.go	v/.
UNDISCLOSED	%: 0.1	1000 - 3.0000			
PRODUCT THRESHOLD: 100 ppm	RESIDU	ALS AND IMPURITIES COM	NSIDERED: Yes	;	
RESIDUALS AND IMPURITIES NOTES https://toxnet.nlm.nih.gov/	Residuals and impurities were	screened using the	e toxnet dat	abase at:	
OTHER MATERIAL NOTES:					
UNDISCLOSED					
HAZARD SCREENING METHOD: Pha	ros Chemical and Materials Library	HAZARD	O SCREENING DAT	E: 2019-02-	19
%: 0.1000 - 3.5000	GS: LT-UNK	RC: UN	IK NAP	10: No	ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	S		
	No hazards found				
SUBSTANCE NOTES: Residuals a	and impurities were screened using th	e toxnet database at:	https://toxnet	.nlm.nih.go	v/.
UNDISCLOSED	%: 0.0	0500 - 10.0000			
PRODUCT THRESHOLD: 100 ppm	RESIDU,	ALS AND IMPURITIES CON	NSIDERED: Yes	5	
RESIDUALS AND IMPURITIES NOTES	Residuals and impurities were	screened using the	e toxnet dat	abase at:	
OTHER MATERIAL NOTES:					

UNDISCLOSED HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-02-19 %: 0.0500 - 10.0000 RC: UNK ROLE: Biocide GS: LT-P1 NANO: **NO** HAZARD TYPE AGENCY AND LIST TITLES WARNINGS ACUTE AQUATIC EU - GHS (H-Statements) H400 - Very toxic to aquatic life SKIN IRRITATION EU - GHS (H-Statements) H315 - Causes skin irritation EYE IRRITATION EU - GHS (H-Statements) H318 - Causes serious eye damage ENDOCRINE **TEDX - Potential Endocrine Disruptors Potential Endocrine Disruptor** MULTIPLE German FEA - Substances Hazardous to Class 2 - Hazard to Waters Waters SKIN SENSITIZE MAK Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

UNDISCLOSED

%: 0.0500 - 1.5000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

OTHER MATERIAL NOTES:

Chemical and Materials Library	HAZARD SCREENING DATE: 2019-02-19		
GS: LT-UNK	RC: UNK	NANO: NO	ROLE: Thickner
AGENCY AND LIST TITLES	WARNINGS		
No hazards found			
	GS: LT-UNK	GS: LT-UNK RC: UNK AGENCY AND LIST TITLES WARNINGS	GS: LT-UNK RC: UNK NANO: No AGENCY AND LIST TITLES WARNINGS

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

CLAY

%: 0.0000 - 5.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2019-02-19			
%: 0.0000 - 5.0000	GS: LT-UNK	RC: UNK	NANO: NO	ROLE: Filler		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
CANCER	МАК	-	up 3B - Evidence of t for classification	carcinogenic effects		

MICA-GROUP MINERALS ID: 12001-26-2 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-02-19 %: Impurity/Residual GS: LT-UNK RC: UNK NANO: No RoLE: Impurity/Residual HAZARD TYPE AGENCY AND LIST TITLES WARNINGS No hazards found Interval Interval Interval

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

HAZARD SCREENING METHOD: Pha	aros Chemical and Materials Library	HAZARD S	CREENING DATE: 2019	9-02-19
%: Impurity/Residual	GS: LT-1	RC: UNK	NANO: NO	ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	W	ARNINGS	
CANCER	US CDC - Occupational Carcinogens	C	Occupational Carcino	ogen
CANCER	CA EPA - Prop 65	С	arcinogen - specific	to chemical form or exposure route
CANCER	IARC		Group 1 - Agent is ca occupational sources	rrcinogenic to humans - inhaled from
CANCER	US NIH - Report on Carcinogens		Known to be Human occupational setting)	Carcinogen (respirable size -
CANCER	МАК		Carcinogen Group 1 - nan	- Substances that cause cancer in
CANCER	Japan - GHS	C	Carcinogenicity - Cat	egory 1A
CANCER	Australia - GHS	н	1350i - May cause ca	ancer by inhalation

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

CLAY

%: 0.0000 - 0.5000

PRODUCT THRESHOLD: 100 ppm

 ${\tt Residuals} \text{ and impurities considered: } Yes$

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

OTHER MATERIAL NOTES:

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	ING DATE: 2019-02	2-19	
%: 0.0000 - 0.5000	GS: LT-1	RC: UNK	NANO: NO	ROLE: Defoamer	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H220 - Extre	emely flammable g	gas	
GENE MUTATION	EU - GHS (H-Statements)	H340 - May cause genetic defects			
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer			
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 1 - Substances known to be Carcinogenic to man			
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man			
GENE MUTATION	EU - REACH Annex XVII CMRs		ategory 2 - Substa if they are Mutag	nces which should be enic to man	
MULTIPLE	ChemSec - SIN List	CMR - Carc	inogen, Mutagen	&/or Reproductive Toxicant	
CANCER	EU - Annex VI CMRs		Category 1A - Kn uman evidence	own human Carcinogen	
GENE MUTATION	EU - Annex VI CMRs	Mutagen - C	Category 1B		
GENE MUTATION	Australia - GHS	H340 - May	cause genetic de	fects	
CANCER	Australia - GHS	H350 - May	cause cancer		
DEVELOPMENTAL	Australia - GHS	H360Df - Ma damaging fe		born child. Suspected of	

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

UNDISCLOSED

%: 0.0000 - 0.1500

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

C.I. ACID YELLOW 3				ID: 8004-92-0
HAZARD SCREENING METHOD: Phar	os Chemical and Materials Library	HAZARD SCRE	ENING DATE: 201	9-02-19
%: Impurity/Residual	GS: LT-UNK	RC: UNK	NANO: NO	ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	GS	
	No bazards found			

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	Greenguard Gold		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Panel Rey facilities located in Mexicali, Mexico; Monterrey, Mexico; and Mexico City, Mexico CERTIFICATE URL: CERTIFICATION AND COMPLIANCE NOTES: Certificate #:		EXPIRY DATE: 2019- 11-25	CERTIFIER OR LAB: UL
VOC CONTENT	VOC COntent		
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All facilities are included. CERTIFICATE URL:	ISSUE DATE: 2019- 02-19	EXPIRY DATE:	CERTIFIER OR LAB: Panel Rey S.A.
APPLICABLE FACILITIES: All facilities are included.	ISSUE DATE: 2019- 02-19		•

CERTIFYING PARTY: Third Party	ISSUE DATE: 2017-	EXPIRY DATE: 2022-	CERTIFIER OR LAB: UL
APPLICABLE FACILITIES: All Panel Rey facilities	11-08	11-08	Environment
CERTIFICATE URL:			

CERTIFICATION AND COMPLIANCE NOTES: This is a sector EPD for Drywall Finishing Joint Compound. It was performed on behalf of the Drywall finishing council and Panel Rey S.A. is a participating member. The content of the declaration included: Product definition and information about building physics, information about basic material and the material's origin, description of the product's manufacturing, , indication of product processing, information about the in-use conditions, life cycle assessment results, and testing results and verifications. This declaration refers to the functional unit as prescribed by the PCR. The functional unit is defined as "100 m2 of covered substrate considering an installation scenario as defined by a GA-214 Level 4 finish with the quantity adjusted for the measured shrinkage (testing per ASTM C474) for a service life of 75 years."

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/.

MANUFACTURER INFORMATION

MANUFACTURER: Panel Rey S.A. Address: Serafin Peña 938 Sur Nuevo Leon Monterrey 64000, Mexico WEBSITE: www.panelrey.com CONTACT NAME: Karla Daniela Macias Lujan TITLE: Product Technology Specialist PHONE: (81) 8305 3800 EMAIL: kmacias@gpromax.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (insuficient data to benchmark)

Recycled Types

PreC Preconsumer (Post-Industrial) PostC Postconsumer Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.

GLO Global warming MAM Mammalian/systemic/organ toxicity MUL Multiple hazards NEU Neurotoxicity OZO Ozone depletion PBT Persistent Bioaccumulative Toxic PHY Physical Hazard (reactive) REP Reproductive toxicity RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity LAN Land Toxicity NF Not found on Priority Hazard Lists

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1 LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)