



Most Widely Accepted and Trusted

ICC-ES Listing

ESL-1034

ICC-ES | (800) 423-6587 | (562) 699-0543 | www.icc-es.org

Issued 01/2016
This report is subject to renewal 01/2017.

DIVISION: 09 00 00—FINISHES

SECTION: 09 29 00—GYPSUM BOARD

REPORT HOLDER:

PANEL REY, S.A.

CARRETERA MONTERREY-MONCLOVA km 11.5
EL CARMEN, NUEVO LEON 66550
MEXICO

EVALUATION SUBJECT:

**PANEL REY® FIRE REY 1/2-INCH TYPE C AND 5/8-INCH TYPE C
AND TYPE X GYPSUM BOARDS**



Look for the trusted marks of Conformity!

"2014 Recipient of Prestigious Western States Seismic Policy Council (WSSPC) Award in Excellence"



A Subsidiary of

ICC-ES Evaluation Reports are not to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as an endorsement of the subject of the report or a recommendation for its use. There is no warranty by ICC Evaluation Service, LLC, express or implied, as to any finding or other matter in this report, or as to any product covered by the report.



ICC-ES Listing**ESL-1034**

Issued January 2016

This listing is subject to renewal January 2017.www.icc-es.org | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

CSI: DIVISION: 09 00 00 - FINISHES
Section: 09 29 00 – Gypsum Board**Product Certification System:**

The ICC-ES product-certification system includes testing samples taken from the market or supplier's stock, or a combination of both, to verify compliance with applicable codes and standards. The system also involves factory inspections, and assessment and surveillance of the listee's quality system.

Product: Panel Rey® Fire Rey 1/2-inch Type C and 5/8-inch Type C and Type X Gypsum Boards**Listee:** PANEL REY, S.A.
CARRETERA MONTERREY-MONCLOVA km 11.5
EL CARMEN, NUEVO LEON 66550
MEXICO
+528 183 0538 00
www.panelrey.com**Evaluation:** Panel Rey® Fire Rey 1/2-inch Type C and 5/8-inch Type C and Type X Gypsum Boards were evaluated based on the following standards:

- UL 723-2008 (revisions through September 2010) and UL723-03 (revisions through May 2005), Standard for Test for Surface Burning Characteristics for Building Materials
- ASTM E84-2013A, ASTM E84-09 and ASTM E84-07, Standard Test Method for Surface Burning Characteristics of Building Materials.

Findings: Panel Rey® Fire Rey 1/2-inch Type C and 5/8-inch Type XC and Type X Gypsum Boards have a flame spread index of 25 or less and a smoke-developed index of 450 or less, per UL723/ASTM E84, as referenced in the applicable sections of the following code editions:

- 2015, 2012 and 2009 *International Building Code*®
Applicable Section: 803.1.1
- 2015, 2012 and 2009 *International Residential Code*®
Applicable Section: R302.9

Identification: Packaging of Panel Rey® Fire Rey 1/2-inch Type C and 5/8-inch Type C and Type XGypsum Boards carries a label indicating the manufacturer's name and address, the product name, and the listing number (ESL-1034).**Installation:** The product must be installed in accordance with Panel Rey's published installation instructions and applicable codes.**Conditions of listing:**

1. The listing addresses only conformance with the standards and code sections noted above.
2. Approval of the product's use is the sole responsibility of the local code official.
3. The listing applies only to the materials tested and as submitted for review by ICC-ES.