

**CLASSIFICATION:** 09 29 00

**PRODUCT DESCRIPTION:** Joint compound, as defined by ASTM C474 and C475, is used along with joint tape to join sheets of drywall by creating a seamless finish. Joint compound is comprised of a blend of minerals. This HPD covers the Ready-mixed joint compound line from Panel Rey S.A. These products are manufactured in the Panel Rey facilities located in Mexicali, Mexico; Monterrey, Mexico; and Mexico City, Mexico. Easy Set is a no asbestos Lightweight Setting-Type Joint Compound ideal for diverse interior an exterior applications according to the setting and working time range selected that permit a fast joint finishing and next-day decoration. This product is formulated for tape embedding, cracks filling and finishing over gypsum board interior applications, including metal corner bead and drywall trim. Easy Set performs especially well when used for taping, filling fasteners and repairing deep cracks and holes. Hardly recommended in fishing areas with high relative humidity and where water – resistant boards are specified because it is almost not affected by humidity. Easy Set compound is lightweight for easy handling and sanding. Do not expose directly to weather and apply one coat of a latex primer is used in exterior areas. Complies and exceeds ASTM C475. Features include: Ideal for drywall finishing and crack filling, lightweight – Weighs up to 10% less than regular compounds for easier handling, easy sanding – sands easy for faster and smoother finishing, minimizes shrinkage and cracking. Virtually unaffected by humidity, and can be used when high humidity weather without delaying job completion.

## Section 1: Summary

## Nested Method / Product Threshold

### CONTENT INVENTORY

#### Inventory Reporting Format

- Nested Materials Method  
 Basic Method

#### Threshold Disclosed Per

- Material  
 Product

#### Threshold level

- 100 ppm  
 1,000 ppm  
 Per GHS SDS  
 Per OSHA MSDS  
 Other

#### Residuals/Impurities

Residuals/Impurities  
Considered in 9 of 9 Materials

Explanation(s) provided  
for Residuals/Impurities?  
 Yes  No

*All Substances Above the Threshold Indicated Are:*

**Characterized**  Yes Ex/SC  Yes  No  
*% weight and role provided for all substances.*

**Screened**  Yes Ex/SC  Yes  No  
*All substances screened using Priority Hazard Lists with results disclosed.*

**Identified**  Yes Ex/SC  Yes  No  
*One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.*

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**  
**GREENSCREEN SCORE | HAZARD TYPE**

**CALCIUM SULFATE [ CALCIUM SULFATE (HEMIHYDRATE) LT-UNK ]**  
**CALCIUM CARBONATE [ CALCIUM CARBONATE LT-UNK AMORPHOUS SILICA LT-P1 | CAN CARBONIC ACID, MAGNESIUM SALT (1:1) LT-UNK ]**  
**UNDISCLOSED [ PERLITE ORE NoGS ] ATTAPULGITE [ PLYGORSKITE FIBERS (> 5MM IN LENGTH) LT-1 | CAN ] UNDISCLOSED [ UNDISCLOSED LT-UNK ] UNDISCLOSED [ UNDISCLOSED LT-UNK ] UNDISCLOSED [ UNDISCLOSED LT-P1 | CAN | PHY | END | MUL | MAM | GEN UNDISCLOSED BM-1 | CAN | PHY | EYE | END | GEN | REP UNDISCLOSED BM-4 ]**  
**UNDISCLOSED [ UNDISCLOSED LT-UNK ] UNDISCLOSED [ UNDISCLOSED LT-P1 | PHY ]**

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen  
Benchmark or List translator Score ... BM-1  
Nanomaterial ... No

#### INVENTORY AND SCREENING NOTES:

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.1, and discloses hazards associated with all substances present at or above 100 parts per million (ppm) in the finished the product, along with the role and percent weight. Therefore, this HPD is consistent with the LEED v4 MR credit Building Product Disclosure and Optimization: Material Ingredient Reporting (Option 1).

### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): Greenguard Regulatory (g/l): Not Applicable

### CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: VOC Emissions

Does the product contain exempt VOCs: No  
Are ultra-low VOC tints available: No

VOC content: VOC Content  
Other: Type III Environmental Product Declaration

**CONSISTENCY WITH OTHER PROGRAMS**

No pre-checks completed or disclosed.

Third Party Verified?

- Yes
- No

PREPARER: **Self-Prepared**  
VERIFIER:  
VERIFICATION #:

SCREENING DATE: 2019-02-21  
PUBLISHED DATE: 2019-02-21  
EXPIRY DATE: 2022-02-21



## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-1-standard](http://www.hpd-collaborative.org/hpd-2-1-standard)

### CALCIUM SULFATE

?: 60.0000 - 99.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: All residuals and impurities screened using the toxnet database.

OTHER MATERIAL NOTES:

### CALCIUM SULFATE (HEMIHYDRATE)

ID: 10034-76-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-02-21

?: 60.0000 - 99.0000

GS: LT-UNK

RC: UNK

NANO: No

ROLE: Filler

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: All residuals and impurities screened using the toxnet database.

### CALCIUM CARBONATE

?: 1.0000 - 30.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: All residuals and impurities screened using the toxnet database.

OTHER MATERIAL NOTES:

**CALCIUM CARBONATE**

ID: 1317-65-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-02-21**%: **1.0000 - 30.0000**GS: **LT-UNK**RC: **UNK**NANO: **No**ROLE: **Filler**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: **All residuals and impurities screened using the toxnet database.****AMORPHOUS SILICA**

ID: 7631-86-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-02-21**%: **Impurity/Residual**GS: **LT-P1**RC: **UNK**NANO: **No**ROLE: **Impurity/Residual**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

**CANCER**

Japan - GHS

Carcinogenicity - Category 1A

**CANCER**

Australia - GHS

H350i - May cause cancer by inhalation

SUBSTANCE NOTES: **All residuals and impurities screened using the toxnet database.****CARBONIC ACID, MAGNESIUM SALT (1:1)**

ID: 546-93-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-02-21**%: **Impurity/Residual**GS: **LT-UNK**RC: **UNK**NANO: **No**ROLE: **Impurity/Residual**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: **All residuals and impurities screened using the toxnet database.****UNDISCLOSED**%: **0.1000 - 10.0000**PRODUCT THRESHOLD: **100 ppm**RESIDUALS AND IMPURITIES CONSIDERED: **Yes**RESIDUALS AND IMPURITIES NOTES: **All residuals and impurities screened using the toxnet database.**

OTHER MATERIAL NOTES:

**PERLITE ORE**

ID: 130885-09-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-02-21**

#: **1.0000 - 10.0000**

GS: **NoGS**

RC: **UNK**

NANO: **No**

ROLE: **Lighten Weight**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: **All residuals and impurities screened using the toxnet database.**

**ATTAPULGITE**

#: **0.1000 - 5.0000**

PRODUCT THRESHOLD: **100 ppm**

RESIDUALS AND IMPURITIES CONSIDERED: **Yes**

RESIDUALS AND IMPURITIES NOTES: **All residuals and impurities screened using the toxnet database.**

OTHER MATERIAL NOTES:

**PALYGORSKITE FIBERS (> 5MM IN LENGTH)**

ID: 12174-11-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-02-21**

#: **0.0000 - 5.0000**

GS: **LT-1**

RC: **UNK**

NANO: **No**

ROLE: **Thickner**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

CANCER

IARC

Group 2B - Possibly carcinogenic to humans

CANCER

CA EPA - Prop 65

Carcinogen

CANCER

MAK

Carcinogen Group 2 - Considered to be carcinogenic for man

SUBSTANCE NOTES: **All residuals and impurities screened using the toxnet database.**

**UNDISCLOSED**

#: **0.0500 - 1.0000**

PRODUCT THRESHOLD: **100 ppm**

RESIDUALS AND IMPURITIES CONSIDERED: **Yes**

RESIDUALS AND IMPURITIES NOTES: **All residuals and impurities screened using the toxnet database.**

OTHER MATERIAL NOTES:

**UNDISCLOSED**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-02-21**

#: **0.0500 - 1.0000**

GS: **LT-UNK**

RC: **UNK**

NANO: **No**

ROLE: **Thickener**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: **All residuals and impurities screened using the toxnet database.**

**UNDISCLOSED**

#: **0.0500 - 1.0000**

PRODUCT THRESHOLD: **100 ppm**

RESIDUALS AND IMPURITIES CONSIDERED: **Yes**

RESIDUALS AND IMPURITIES NOTES: **All residuals and impurities screened using the toxnet database.**

OTHER MATERIAL NOTES:

**UNDISCLOSED**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-02-21**

#: **0.0500 - 1.0000**

GS: **LT-UNK**

RC: **UNK**

NANO: **No**

ROLE: **Thickener**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: **All residuals and impurities screened using the toxnet database.**

**UNDISCLOSED**

#: **0.0000 - 5.0000**

PRODUCT THRESHOLD: **100 ppm**

RESIDUALS AND IMPURITIES CONSIDERED: **Yes**

RESIDUALS AND IMPURITIES NOTES: **All residuals and impurities screened using the toxnet database.**

OTHER MATERIAL NOTES:

**UNDISCLOSED**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-02-21**

#: **0.0000 - 5.0000**

GS: **LT-P1**

RC: **UNK**

NANO: **No**

ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 2B - Possibly carcinogenic to humans
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
MAMMALIAN	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances
GENE MUTATION	New Zealand - GHS	6.6A - Known or presumed human mutagens

SUBSTANCE NOTES: All residuals and impurities screened using the toxnet database.

## UNDISCLOSED

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-02-21**

#: **Impurity/Residual** GS: **BM-1** RC: **UNK** NANO: **No** ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US EPA - IRIS Carcinogens	(1986) Group B2 - Probable human Carcinogen
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	IARC	Group 2B - Possibly carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H224 - Extremely flammable liquid and vapour
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 5 - Genotoxic carcinogen with very slight risk under MAK/BAT levels
GENE MUTATION	New Zealand - GHS	6.6A - Known or presumed human mutagens
CANCER	Japan - GHS	Carcinogenicity - Category 1B
REPRODUCTIVE	Japan - GHS	Toxic to reproduction - Category 1B

SUBSTANCE NOTES: All residuals and impurities screened using the toxnet database.

**UNDISCLOSED**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-02-21**

#: **Impurity/Residual** GS: **BM-4** RC: **UNK** NANO: **No** ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
No hazards found		

SUBSTANCE NOTES: All residuals and impurities screened using the toxnet database.

**UNDISCLOSED**

#: **0.0000 - 5.0000**

PRODUCT THRESHOLD: **100 ppm**

RESIDUALS AND IMPURITIES CONSIDERED: **Yes**

RESIDUALS AND IMPURITIES NOTES: **All residuals and impurities screened using the toxnet database.**

OTHER MATERIAL NOTES:

**UNDISCLOSED**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-02-21**

#: **0.0000 - 5.0000** GS: **LT-UNK** RC: **UNK** NANO: **No** ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
No hazards found		

SUBSTANCE NOTES: All residuals and impurities screened using the toxnet database.

**UNDISCLOSED**

#: **0.0000 - 5.0000**

PRODUCT THRESHOLD: **100 ppm**

RESIDUALS AND IMPURITIES CONSIDERED: **Yes**

RESIDUALS AND IMPURITIES NOTES: **All residuals and impurities screened using the toxnet database.**

OTHER MATERIAL NOTES:



**UNDISCLOSED**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-02-21**

#: **0.0000 - 0.3000**

GS: **LT-P1**

RC: **UNK**

NANO: **No**

ROLE: **Retarder**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

**PHYSICAL HAZARD (REACTIVE)**

**EU - GHS (H-Statements)**

**H261 - In contact with water releases flammable gases**

SUBSTANCE NOTES: **All residuals and impurities screened using the toxnet database.**

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### VOC EMISSIONS

### VOC Emissions

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2019-**

EXPIRY DATE:

CERTIFIER OR LAB: **Panel Rey**

APPLICABLE FACILITIES: **All facilities are included.**

**02-21**

**S.A.**

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **This product has not been tested for VOCs.**

### VOC CONTENT

### VOC Content

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2019-**

EXPIRY DATE:

CERTIFIER OR LAB: **Panel Rey**

APPLICABLE FACILITIES: **All facilities are included.**

**02-21**

**S.A.**

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **This product is not applicable for SCAQMD 1113.**

### OTHER

### Type III Environmental Product Declaration

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2017-**

EXPIRY DATE: **2022-**

CERTIFIER OR LAB: **UL**

APPLICABLE FACILITIES: **All Panel Rey facilities**

**11-08**

**11-08**

**Environment**

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **This is a sector EPD for Drywall Finishing Joint Compound. It was performed on behalf of the Drywall finishing council and Panel Rey S.A. is a participating member. The content of the declaration included: Product definition and information about building physics, information about basic material and the material's origin, description of the product's manufacturing, , indication of product processing, information about the in-use conditions, life cycle assessment results, and testing results and verifications. This declaration refers to the functional unit as prescribed by the PCR. The functional unit is defined as "100 m2 of covered substrate considering an installation scenario as defined by a GA-214 Level 4 finish with the quantity adjusted for the measured shrinkage (testing per ASTM C474) for a service life of 75 years."**

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

All residuals and impurities were screened using the toxnet database available at: <https://toxnet.nlm.nih.gov/>.



## MANUFACTURER INFORMATION

MANUFACTURER: **Panel Rey S.A.**  
 ADDRESS: **Serafin Peña 938 Sur**  
**Nuevo Leon Monterrey 64000, Mexico**  
 WEBSITE: **www.panelrey.com**

CONTACT NAME: **Karla Daniela Macias Lujan**  
 TITLE: **Product Technology Specialist**  
 PHONE: **018183053800**  
 EMAIL: **kmacias@gpromax.com**

## KEY

**OSHA MSDS** Occupational Safety and Health Administration Material Safety Data Sheet  
**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Hazard Types

<b>AQU</b> Aquatic toxicity	<b>GLO</b> Global warming	<b>PHY</b> Physical Hazard (reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive toxicity
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple hazards	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>OZO</b> Ozone depletion	<b>LAN</b> Land Toxicity
<b>GEN</b> Gene mutation	<b>PBT</b> Persistent Bioaccumulative Toxic	<b>NF</b> Not found on Priority Hazard Lists

### GreenScreen (GS)

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible Benchmark 1
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator Likely Benchmark 1
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> Unknown (no data on List Translator Lists)
<b>BM-U</b> Benchmark Unspecified (insufficient data to benchmark)	

### Recycled Types

**PreC** Preconsumer (Post-Industrial)  
**PostC** Postconsumer  
**Both** Both Preconsumer and Postconsumer  
**Unk** Inclusion of recycled content is unknown  
**None** Does not include recycled content

### Other Terms

#### Inventory Methods:

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*