Ultima Plus Ready Mix Joint Compound by Panel Rey S.A.

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 09 29 00

PRODUCT DESCRIPTION: Joint compound, as defined by ASTM C474 and C475, is used along with joint tape to join sheets of drywall by creating a seamless finish. Joint compound is comprised of a blend of minerals. Ready-mixed compound is a pre-made form of joint compound that may be used for immediate application without any additional preparation. This HPD covers the Ready-mixed joint compound line from Panel Rey S.A. These products are manufactured in the Panel Rey facilities located in Mexicali, Mexico; Monterrey, Mexico; and Mexico City, Mexico. Ultima Plus Compound is the best option for a smooth, manageable application and sliding. It is extremely easy to sand due to its properties of low-density ready mix. Ultima Plus is 20% lighter than traditional compounds and it offers a higher coverage and efficiently reduces shrinkage and cracks. Features an excellent adhesion to substrate and its new green formula with low VOC content GREENGUARD certified. The compound is made of vinyl adhesives and other additives: it can be applied directly from the packaging, manually or with mechanical equipment, and meets the ASTM C-475 Standard in accordance to the ASTM C-474 Standard procedures. For your safety, Panel Rey® products do not contain asbestos.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- C Basic Method

Threshold Disclosed Per

- C Material
- Product

Threshold level • 100 ppm • 1,000 ppm

- C Per GHS SDS
- C Per OSHA MSDS C Other
- Explanation(s) provided for Residuals/Impurities?

Residuals/Impurities

Considered in 13 of 13 Materials

Residuals/Impurities

All Substances Above the Threshold Indicated Are:

Characterized C Yes Ex/SC • Yes C No % weight and role provided for all substances.

Screened

All substances screened using Priority Hazard Lists with results disclosed.

Identified

C Yes Ex/SC C Yes 🛈 No

○ Yes Ex/SC ⊙ Yes ○ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | *RESIDUAL OR IMPURITY* GREENSCREEN SCORE | HAZARD TYPE

CALCIUM SULFATE [CALCIUM SULFATE (DIHYDRATE) LT-UNK] CALCIUM CARBONATE [CALCIUM CARBONATE LT-UNK AMORPHOUS S/L/CA LT-P1 | CAN CARBONIC ACID, MAGNESIUM SALT (1:1) LT-UNK] WATER [WATER BM-4] UNDISCLOSED [UNDISCLOSED LT-P1 | CAN | PHY | END | MUL | MAM | GEN UNDISCLOSED BM-1 | CAN | PHY | EYE | END | GEN | REP UNDISCLOSED BM-4] PERLITE [PERLITE ORE NoGS] ATTAPULGITE [PALYGORSKITE FIBERS (> 5MM IN LENGTH) LT-1 | CAN] MICA [MICA-GROUP MINERALS LT-UNK /RON/LT-P1 | END LITHIUM SALT LT-1 | PBT | MUL | AQU | CAN | DEL | MAM | REP | END SODIUM FLUORIDE (NA(HF2)) LT-P1 | MAM | SKI 7/TANUM LT-UNK] UNDISCLOSED [UNDISCLOSED LT-UNK] UNDISCLOSED [UNDISCLOSED LT-P1 | AQU | SKI | EYE | END | MUL] UNDISCLOSED [UNDISCLOSED LT-UNK] CLAY [CLAY LT-UNK | CAN MICA-GROUP MINERALS LT-UNK QUARTZ LT-1 | CAN] UNDISCLOSED [UNDISCLOSED LT-1 | PHY | GEN | CAN | MUL | DEL] UNDISCLOSED [UNDISCLOSED LT-UNK] Number of Greenscreen BM-4/BM3 contents ... 2 Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1 Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.1, and discloses hazards associated with all substances present at or above 100 parts per million (ppm) in the finished the product, along with the role and percent weight. Therefore, this HPD is consistent with the LEED v4 MR credit Building Product Disclosure and Optimization: Material Ingredient Reporting (Option 1).

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Ultima Plus Ready Mix Joint Compound hpdrepository.hpd-collaborative.org CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

Material (g/l): Greenguard Regulatory (g/l): not applicable Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A VOC emissions: Greenguard Gold VOC content: VOC Content Other: Type III Environmental Product Declaration

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

C Yes

PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2019-02-19 PUBLISHED DATE: 2019-02-19 EXPIRY DATE: 2022-02-19 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

CALCIUM	
CALCIUM	JULFAIL

%: 55.0000 - 70.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/,

OTHER MATERIAL NOTES:

CALCIUM SULFATE (DIHYDRATE) ID: 10101-41-4						
HAZARD SCREENING METHOD: Pha	HAZARD SCREENING DATE: 2019-02-19					
%: 55.0000 - 70.0000	GS: LT-UNK	RC: UNK	NANO: NO	ROLE: Filler		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
	No hazards found					

 ${\tt SUBSTANCE NOTES: } \textbf{Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/}, \\$

CALCIUM CARBONATE

%: 50.0000 - 70.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/,

CALCIUM CARBONATE				ID: 1317-65-3	
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENI	NG DATE: 2019-02-	19	
%: 50.0000 - 70.0000	GS: LT-UNK	RC: UNK	NANO: NO	ROLE: Filler	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
	No hazards found				
SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/,					
AMORPHOUS SILICA				ID: 7631-86-9	

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-02-19		
%: Impurity/Residual	GS: LT-P1	RC: UNK NANO: NO ROLE: Impurity/Residual		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	Japan - GHS	Carcinogenicity - Category 1A		
CANCER	Australia - GHS	H350i - May cause cancer by inhalation		

CARBONIC ACID, MAGNESIUM SALT (1:1) ID: 546-93-0						
HAZARD SCREENING METHOD: Pharo	s Chemical and Materials Library	HAZARD SCREENING DATE: 2019-02-19				
%: Impurity/Residual	GS: LT-UNK	RC: UNK	NANO: NO	ROLE: Impurity/Residual		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	GS			
	No hazards found					

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/ ,

WATER

%: 25.0000 - 40.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/,

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-02-19			
%: 25.0000 - 40.0000	GS: BM-4	RC: UNK	NANO: NO	ROLE: Diluent	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
	No hazards found				
SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/,					

UNDISCLOSED

WATER

%: 0.5000 - 10.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/,

OTHER MATERIAL NOTES:

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-02-19		
%: 0.5000 - 10.0000	GS: LT-P1	RC: UNK NANO: NO ROLE: Binder		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	IARC	Group 2B - Possibly carcinogenic to humans		
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour		
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
CANCER	МАК	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value		
MAMMALIAN	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances		
GENE MUTATION	New Zealand - GHS	6.6A - Known or presumed human mutagens		

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/,

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

%: Impurity/Residual	GS: BM-1	RC: UNK NANO: NO ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US EPA - IRIS Carcinogens	(1986) Group B2 - Probable human Carcinogen
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	IARC	Group 2B - Possibly carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H224 - Extremely flammable liquid and vapour
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	МАК	Carcinogen Group 5 - Genotoxic carcinogen with very slight risk under MAK/BAT levels
GENE MUTATION	New Zealand - GHS	6.6A - Known or presumed human mutagens
CANCER	Japan - GHS	Carcinogenicity - Category 1B
REPRODUCTIVE	Japan - GHS	Toxic to reproduction - Category 1B

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-02-19		
%: Impurity/Residual	GS: BM-4	RC: UNK	NANO: NO	ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/,

PERLITE

%: 0.1000 - 10.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/,

PERLITE ORE				ID: 130
HAZARD SCREENING METHOD: P	haros Chemical and Materials Library	HAZARD SCREE	ENING DATE: 2019	-02-19
%: 0.1000 - 10.0000	GS: NoGS	RC: UNK	NANO: NO	ROLE: Lighten Weight
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	S	

No hazards found

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/,

ATTAPULGITE

%: 0.1000 - 7.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/,

OTHER MATERIAL NOTES:

AZARD SCREENING METHOD: Ph	aros Chemical and Materials Library	HAZARD SCREE	NING DATE: 2019-02	2-19
%: 0.1000 - 7.0000	GS: LT-1	RC: UNK	NANO: NO	ROLE: Thickner
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	IARC	Group 2B -	Possibly carcinoge	enic to humans
CANCER	CA EPA - Prop 65	Carcinoger	1	
CANCER	МАК	Carcinoger	n Group 2 - Conside	red to be carcinogenic fo

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/,

MICA

%: 0.1000 - 5.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/ ,

OTHER MATERIAL NOTES:

MICA-GROUP MINERALS

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-02-19

ID: 12001-26-2

Ultima Plus Ready Mix Joint Compound hpdrepository.hpd-collaborative.org

%: 0.1000 - 5.0000	GS: LT-UNK	RC: UNK	NANO: NO	ROLE: Anti-Cracking
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	GS	
	No hazards found			
SUBSTANCE NOTES: Residua	Is and impurities were screened using the toxn	et database at	: https://toxnet	t.nlm.nih.gov/ ,
IRON				ID: 7439-89-6
HAZARD SCREENING METHOD:	haros Chemical and Materials Library	HAZARD SCREE	NING DATE: 2019	9-02-19
%: Impurity/Residual	GS: LT-P1	RC: UNK	NANO: NO	ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	GS	
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potent	ial Endocrine Di	isruptor
SUBSTANCE NOTES: Residua	Is and impurities were screened using the toxn	et database at	: https://toxnet	t.nlm.nih.gov/ ,
LITHIUM SALT				ıd: 29457-72-5

HAZARD SCREENING METHOD: Pharos Ch	emical and Materials Library	HAZARD SCREE	ENING DATE: 2019	9-02-19
%: Impurity/Residual	GS: LT-1	RC: UNK	NANO: NO	ROLE: Impurity/Residual

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
РВТ	UNEP Stockholm Conv - Persistent Organic Pollutants	Priority POP
РВТ	WA DoE - PBT	РВТ
РВТ	OSPAR - Priority PBTs & EDs & equivalent concern	PBT - Chemical for Priority Action
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published
CHRON AQUATIC	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
DEVELOPMENTAL	EU - GHS (H-Statements)	H360D - May damage the unborn child
DEVELOPMENTAL	EU - GHS (H-Statements)	H362 - May cause harm to breast-fed children
ORGAN TOXICANT	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure
REPRODUCTIVE	EU - REACH Annex XVII CMRs	Toxic to Reproduction Category 2 - Substances which should be regarded as if they impair fertility or cause Developmental Toxicity in humans
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
ENDOCRINE	ChemSec - SIN List	Endocrine Disruption
REPRODUCTIVE	US EPA - PPT Chemical Action Plans	Reproductive effects
DEVELOPMENTAL	US EPA - PPT Chemical Action Plans	Developmental Effects
CANCER	МАК	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
DEVELOPMENTAL	МАК	Pregnancy Risk Group B
REPRODUCTIVE	EU - Annex VI CMRs	Reproductive Toxicity - Category 1B
DEVELOPMENTAL	Australia - GHS	H360D - May damage the unborn child
DEVELOPMENTAL	Australia - GHS	H362 - May cause harm to breast-fed children

ODIUM FLUORIDE (NA(HF	~))			ID: 13
AZARD SCREENING METHOD: Pha	ros Chemical and Materials Library	HAZARD SCRE	ENING DATE: 201	9-02-19
Impurity/Residual	GS: LT-P1	RC: UNK	NANO: NO	ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNI	NGS	
MAMMALIAN	EU - GHS (H-Statements)	H301	- Toxic if swallo	wed
SKIN IRRITATION	EU - GHS (H-Statements)	H314	- Causes severe	e skin burns and eye damage

SUBSTANCE NOTES: Residuals and	d impurities were screened usin	g the toxnet database at	: https://toxne	et.nlm.nih.go	v/ ,
TITANIUM					ID: 7440-32-6
HAZARD SCREENING METHOD: Pharos	s Chemical and Materials Libra	ry HAZARD SCRE	ENING DATE: 201	19-02-19	
%: Impurity/Residual	GS: LT-UNK	rc: UNK	NANO: No	ROLE: Im	purity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	GS		
	No hazards found				
SUBSTANCE NOTES: Residuals and	d impurities were screened usin	g the toxnet database at	: https://toxne	et.nlm.nih.go	٧/ ,
UNDISCLOSED	%	: 0.1000 - 3.5000			
PRODUCT THRESHOLD: 100 ppm	RES	SIDUALS AND IMPURITIES CO	DNSIDERED: Ye	es	
RESIDUALS AND IMPURITIES NOTES: F	Residuals and impurities we	ere screened using th	ne toxnet da	atabase at:	
OTHER MATERIAL NOTES:					
UNDISCLOSED					
HAZARD SCREENING METHOD: Pharos	s Chemical and Materials Libra	ry Hazai	RD SCREENING DA	ATE: 2019-02	-19
%: 0.1000 - 3.5000	GS: LT-UNK	RC: U	INK N	ano: No	ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	GS		
	No hazards found				
SUBSTANCE NOTES: Residuals and	d impurities were screened usin	g the toxnet database at	: https://toxne	et.nlm.nih.go	٧/ ,
UNDISCLOSED	%	: 0.0500 - 10.0000			
PRODUCT THRESHOLD: 100 ppm	RE	SIDUALS AND IMPURITIES CO	DNSIDERED: Ye	es	
RESIDUALS AND IMPURITIES NOTES: Fhttps://toxnet.nlm.nih.gov/ ,	Residuals and impurities we	ere screened using th	ne toxnet da	atabase at:	
OTHER MATERIAL NOTES:					

	-	\sim		00		-
UN	DI	SU	31	05	5E	D

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-02-19		
%: 0.0500 - 10.0000	GS: LT-P1	RC: UNK	ROLE: Biocide	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very t	oxic to aquatic life	
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation		
EYE IRRITATION	EU - GHS (H-Statements)	H318 - Causes serious eye damage		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Enc	locrine Disruptor	
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
SKIN SENSITIZE	МАК	Sensitizing Substance Sh - Danger of skin sensitization		

UNDISCLOSED

%: 0.0500 - 1.5000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/ ,

OTHER MATERIAL NOTES:

UNDISCLOSED				
HAZARD SCREENING METHOD: P	naros Chemical and Materials Library	HAZARD SCREENING DATE: 2019-02-19		
%: 0.0500 - 1.5000	GS: LT-UNK	RC: UNK	NANO: NO	ROLE: Thickner
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/,

CLAY

%: 0.0000 - 5.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-02-19		
%: 0.0000 - 5.0000	GS: LT-UNK	RC: UNK	NANO: NO	ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	МАК	Carcinogen Group 3B - Evidence of carc but not sufficient for classification		carcinogenic effects

MICA-GROUP MINERALS D: 12001-26-2 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-02-19 %: Impurity/Residual GS: LT-UNK NANO: No RolE: Impurity/Residual HAZARD TYPE AGENCY AND LIST TITLES WARNINGS WARNINGS VARNINGS

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/,

QUARTZ		ıd: 1317-9 5
HAZARD SCREENING METHOD: Pha	ros Chemical and Materials Library	HAZARD SCREENING DATE: 2019-02-19
%: Impurity/Residual	GS: LT-1	RC: UNK NANO: NO ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CANCER	МАК	Carcinogen Group 1 - Substances that cause cancer in man
CANCER	Japan - GHS	Carcinogenicity - Category 1A
CANCER	Australia - GHS	H350i - May cause cancer by inhalation

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/ ,

CLAY

%: 0.0000 - 0.5000

PRODUCT THRESHOLD: 100 ppm

 ${\tt Residuals} \text{ and impurities considered: } Yes$

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/,

OTHER MATERIAL NOTES:

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-02-19			
%: 0.0000 - 0.5000	GS: LT-1	RC: UNK NANO: NO ROLE: Defoamer			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H220 - Extremely flammable gas			
GENE MUTATION	EU - GHS (H-Statements)	H340 - May cause genetic defects			
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer			
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 1 - Substances known to be Carcinogenic to man			
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man			
GENE MUTATION	EU - REACH Annex XVII CMRs	Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man			
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive To:	kicant		
CANCER	EU - Annex VI CMRs	Carcinogen Category 1A - Known human Carcinoge based on human evidence	en		
GENE MUTATION	EU - Annex VI CMRs	Mutagen - Category 1B			
GENE MUTATION	Australia - GHS	H340 - May cause genetic defects			
CANCER	Australia - GHS	H350 - May cause cancer			
DEVELOPMENTAL	Australia - GHS	H360Df - May damage the unborn child. Suspected damaging fertility	of		

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/,

UNDISCLOSED

%: 0.0000 - 0.1500

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/,

LIN	פוח	CL	OSE	

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-02-19		
%: 0.0000 - 0.1500	GS: LT-UNK	RC: UNK	NANO: NO	ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	Greenguard Gold		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Mexico City, Mexicali, and Monterrey CERTIFICATE URL:	ISSUE DATE: 2014- 11-25	EXPIRY DATE: 2019-02-25	CERTIFIER OR LAB: UL
CERTIFICATION AND COMPLIANCE NOTES: Certificate #	: 87037-420		
VOC CONTENT	VOC Content		
CERTIFYING PARTY: Self-declared Applicable facilities: All facilities included. CERTIFICATE URL:	ISSUE DATE: 2019- 02-19	EXPIRY DATE:	CERTIFIER OR LAB: Panel Rey S.A.
CERTIFICATION AND COMPLIANCE NOTES:			
OTHER	Type III Environmental Product Declaration		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All Panel Rey facilities CERTIFICATE URL:	ISSUE DATE: 2017- 11-08	EXPIRY DATE: 2022- 11-08	CERTIFIER OR LAB: UL Environment

CERTIFICATION AND COMPLIANCE NOTES: This is a sector EPD for Drywall Finishing Joint Compound. It was performed on behalf of the Drywall finishing council and Panel Rey S.A. is a participating member. The content of the declaration included: Product definition and information about building physics, information about basic material and the material's origin, description of the product's manufacturing, , indication of product processing, information about the in-use conditions, life cycle assessment results, and testing results and verifications. This declaration refers to the functional unit as prescribed by the PCR. The functional unit is defined as "100 m2 of covered substrate considering an installation scenario as defined by a GA-214 Level 4 finish with the quantity adjusted for the measured shrinkage (testing per ASTM C474) for a service life of 75 years."

🕒 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/,

MANUFACTURER INFORMATION

MANUFACTURER: Panel Rev S.A. ADDRESS: Serafin Peña 938 Sur Nuevo Leon Monterrey 64000, Mexico WEBSITE: www.panelrey.com

CONTACT NAME: Karla Daniela Macias Lujan TITLE: Product Technology Specialist PHONE: (81) 8305 3800 EMAIL: kmacias@gpromax.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

GLO Global warming

MUL Multiple hazards

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

NEU Neurotoxicity

Hazard Types

AQU Aquatic toxicity **CAN** Cancer **DEV** Developmental toxicity **END** Endocrine activity EYE Eye irritation/corrosivity **GEN** Gene mutation

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical) BM-3 Benchmark 3 (use but still opportunity for improvement) BM-2 Benchmark 2 (use but search for safer substitutes) BM-1 Benchmark 1 (avoid - chemical of high concern) BM-U Benchmark Unspecified (insuficient data to benchmark)

Recycled Types

PreC Preconsumer (Post-Industrial) PostC Postconsumer Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.

PHY Physical Hazard (reactive) MAM Mammalian/systemic/organ toxicity **REP** Reproductive toxicity **RES** Respiratory sensitization SKI Skin sensitization/irritation/corrosivity LAN Land Toxicity

NF Not found on Priority Hazard Lists

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1 LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)